



Tool trolleys 95 PRO

95/7 PRO

Product no.	81200164
GTIN	4018754334674
Model	TTS 95/7 B PRO



Label.

Tool trolley 95/7 PRO 7 Drawer organisation 496 x 827 x 1020 mm blue, RAL 270 35; black, RAL 9005

Properties.

- **three-stage safety concept:**
 - central locking with a lateral cylinder lock and hinged key
 - individual locks prevent inadvertent opening during transit
 - tilt protection - multiple drawers cannot be pulled out at the same time
- stainless steel with reinforced handle
- all-round collision protection with impact damping
- tightly welded, resilient work and storage surface; end panel made of stainless steel
- oil and acid-resistant ball-bearing smooth-running wheels (Ø 125 mm) with thread guards to protect the bearings from dirt and threads, with 2 locking brakes
- paper roll holder and spray can holder included
- 7 easily removable drawers, black, full-extension runners with bearing cage guide
- two-sided perforated panel for hooks no. 8031- 8041, e.g. for larger tools
- can be fitted with STAHLWILLE standard and TCS inlays

Benefits.

7 easily removable drawers with practical full extension; the ball cage guide ensures smooth operation.

Oil and acid-resistant easy-running wheels (125 mm) with thread protection safeguard the bearings from dirt and threads, equipped with 2 locking brakes.

The all-round bumper with impact damping effectively protects the workshop trolley and its surroundings from damage in the event of collisions.

The spacious storage area is fully welded and reliably sealed to protect the interior of the workshop.

Central locking via cylinder lock with a foldable key; the tilt protection prevents multiple drawers from being pulled out simultaneously.



Product highlights.



Takes on anything.

High-quality materials such as the tightly welded stainless steel tray with a scratch-resistant honeycomb structure ensure the durability typical of STAHLWILLE and prevent liquids from penetrating into the interior of the trolley. The working surface of 827 x 496 mm is particularly suitable for working on large components. Thanks to its robust construction, the 95 PRO has a static load capacity of 750 kg. The drawers can be loaded with 30 kg thanks to reinforcements, and the bottom drawer can even be loaded with 45 kg.



Secure down to the last detail.

The drawers are centrally locked using a cylinder lock with a folding key. The single-drawer lock prevents unintentional opening while driving. In addition, only one drawer can always be opened at a time, ensuring reliable tipping protection.



Full configuration as standard.

Whether paper roll and spray can holders, all-round impact protection with shock absorption, perforations on both sides for attaching accessories, locking brakes or oil and acid-resistant smooth-running castors (Ø 125 mm) with thread protection. Our tool trolley has many features - as standard.



Optimally organised.

All drawers can be extended up to 100 %. Combining the use of STAHLWILLE standard and TCS inlays, or the variable drawer dividers, ensures a clear overview and convenient access to tools.

Technologies and features.



Modular Inlay System



This flexible solution for tool storage makes it possible to customise your tool trolleys and workbenches with 1/6, 1/3, 2/3 or 3/3 foam inserts.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

Technical drawing.



Technical attributes.

Number of drawers	7
Width mm (b)	827 mm
Colour	blue, RAL 270 30 35; black, RAL 9005
Colour abbreviation	RAL 270 30 35; RAL 9005
Height mm (h)	1020 mm
Length mm (L)	496 mm
Model No.	95/7 B PRO
Internal drawer dimensions mm	346 x 528 x 75 mm (4x) 346 x 528 x 118 mm (2x) 346 x 528 x 134 mm (1x)
Drawer load capacity	30 kg 30 kg 45 kg
Load capacity	750 kg

Logistics data.

Depth mm (IFS)	720
Width mm (IFS)	496
Height mm (IFS)	863
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	836
Width (packaged, mm)	587
Height (packaging, mm)	940
Volume (packaged, dm ³)	461.28808 dm ³
Product no.	81200164
Weight (gross, kg)	79,000
Weight PAP (kg)	7,500
Weight PVC (kg)	0,000
GTIN	4018754334674
Country of origin AWR	CHINA
Region of origin	Ausländischer Ursprung
Customs tariff no.	94032080
Packing standard	1
Weight (g)	71500 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
81200163	TTS 95/7 A PRO	Tool trolley 95/7 PRO 7 Drawer organisation 496 x 827 x 1020 mm anthracite, RAL 7016; black, RAL 9005	4018754334667
81200164	TTS 95/7 B PRO	Tool trolley 95/7 PRO 7 Drawer organisation 496 x 827 x 1020 mm blue, RAL 270 30 35; black, RAL 9005	4018754334674
81200165	TTS 95/7 R PRO	Tool trolley 95/7 PRO 7 Drawer organisation 496 x 827 x 1020 mm red, RAL 3020; black, RAL 9005	4018754334681

GTIN.




Accessories (for).



90432727
Spray can holder



80320060
Twin hook



81483004
Paper roll holder



80340040
Twin hook



89010040
Cable holder



80340050
Twin hook



83812070
Empty tray for small components



80350017
Square lug




80350020
Square lug




81484001
Drawer divider



80360012
Spring clip



81484002
Drawer divider



90432806
Rubber mat



89010041
Laptop holder



89010003
Non-slip mat GRIPMAT



80360018
Spring clip




81485006
Spring clip



80360024
Spring clip



81485012
Spring clip



80380030
Container




80410235
Holding device for
spanners



80310030
Single hook



80310060
Single hook



80320030
Twin hook



89011053
Waste bin



89010042
Laptop holder adaptor



90432802
Protective cover




80310090
Single hook


Spare part(s) for.



90432718
Lock, mechanical



81483004
Paper roll holder



90432719
Spray can holder



81490001
Wheel set

Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal