



Electronic slotted screwdrivers

4751



Product no. **47513005**
GTIN **4018754283057**
Model **4751 1,8**



Label.

Electronic slotted screwdriver 0,3mm x 1.8mm L.60mm

Properties.

- for slotted screws
- rotating cap with ergonomic recess
- narrow, practical, fast rotating handle
- with laser marking

Benefits.

Made in Germany - STAHLWILLE electronic screwdriver set, slotted: 0,3 mm x 1,8 mm, DIN ISO 8764, 47513005.

The specially hardened black tip guarantees a long service life.

Rotating cap with ergonomic finger recess for delicate work.

Precision tool for e.g., electronics engineers, watchmakers, opticians and IT hardware support.

Product highlights.



Outstanding craftsmanship.


The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.

Robust.

Whether slotted or cross-head - the rough blade tips transfer even the greatest torques to the screws - precisely and safely.



Technical drawing.



Technical attributes.

a	0,3 mm
Drive profile	slotted
Width mm (b)	1,8 mm
DIN	DIN ISO 8764
Size	5
L1	60 mm
L2	160 mm

Logistics data.

Depth mm (IFS)	163
Width mm (IFS)	20
Height mm (IFS)	20
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	165
Width (packed, mm)	80
Height (packed, mm)	28
Volume (packed, dm3)	0.3696 dm3
Art. no.	47513005
Weight (gross, kg)	0,100
Weight PAP (kg)	0,039
Weight PVC (kg)	0,000
GTIN	4018754283057
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82054000
Packing standard	5
Weight	12 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
47513001	4751 1	Electronic slotted screwdriver 0,16mm x 0.8mm L.40mm	4018754283019
47513002	4751 2	Electronic slotted screwdriver 0,18mm x 1mm L.40mm	4018754283026
47513003	4751 3	Electronic slotted screwdriver 0,25mm x 1.2mm L.40mm	4018754283033
47513004	4751 1,5	Electronic slotted screwdriver 0,3mm x 1.5mm L.40mm	4018754283040

47513005	4751 1,8	Electronic slotted screwdriver 0,3mm x 1.8mm L.60mm	4018754283057
47513006	4751 2	Electronic slotted screwdriver 0,4mm x 2mm L.60mm	4018754283064
47513007	4751 7	Electronic slotted screwdriver 0,4mm x 2.5mm L.75mm	4018754283071
47513008	4751 8	Electronic slotted screwdriver 0,5mm x 3mm L.75mm	4018754283088

GTIN.

