



## IMPACT sockets 3/4"

### 56IMP

|             |               |
|-------------|---------------|
| Product no. | 25020032      |
| GTIN        | 4018754015863 |
| Model       | 56 IMP 32     |



**Label.** IMPACT socket 3/4 " 32mm L.100mm

**Properties.**

- deep version
- with hex
- 3/4" internal square drive
- Chrome Alloy Steel, gunmetal finish
- DIN 3129 / ISO 1711-2

## Product highlights.




### Powerful and resilient.

The sockets are made from high-quality Chrome Alloy Steel. They are hardened in oil to prevent stress and distortion.



### Optimised functionality.


All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.



### High fitting accuracy.

The high fitting accuracy due to tight tolerances guarantees optimum, backlash-free transmission of forces to the socket.

## Technical drawing.



## Technical attributes.

|                           |         |
|---------------------------|---------|
| Drive profile             | hex     |
| Square drive inner (inch) | 3/4 "   |
| d1                        | 49,9 mm |
| d2                        | 44 mm   |
| Length mm (L)             | 100 mm  |
| Size [mm]                 | 32 mm   |
| t                         | 72 mm   |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Depth mm (IFS)         | 100                 |
| Width mm (IFS)         | 50                  |
| Height mm (IFS)        | 50                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Length (packaged, mm)  | 101                 |
| Width (packaged, mm)   | 100                 |
| Height (packaging, mm) | 51                  |
| Volume (packaged, dm3) | 0.5151 dm3          |
| Product no.            | 25020032            |
| Weight (gross, kg)     | 1,844               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,009               |
| GTIN                   | 4018754015863       |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Customs tariff no.     | 82042000            |
| Packing standard       | 2                   |
| Weight (g)             | 922 g               |

## Variants.

| Product no. | Model No. (ERP) | Description                      | GTIN          |
|-------------|-----------------|----------------------------------|---------------|
| 25020017    | 56 IMP 17       | IMPACT socket 3/4 " 17mm L.90mm  | 4018754233908 |
| 25020019    | 56 IMP 19       | IMPACT socket 3/4 " 19mm L.90mm  | 4018754233915 |
| 25020021    | 56 IMP 21       | IMPACT socket 3/4 " 21mm L.100mm | 4018754015801 |

|          |           |                                  |               |
|----------|-----------|----------------------------------|---------------|
| 25020022 | 56 IMP 22 | IMPACT socket 3/4 " 22mm L.100mm | 4018754015818 |
| 25020024 | 56 IMP 24 | IMPACT socket 3/4 " 24mm L.100mm | 4018754015825 |
| 25020027 | 56 IMP 27 | IMPACT socket 3/4 " 27mm L.100mm | 4018754015832 |
| 25020030 | 56 IMP 30 | IMPACT socket 3/4 " 30mm L.100mm | 4018754015856 |
| 25020032 | 56 IMP 32 | IMPACT socket 3/4 " 32mm L.100mm | 4018754015863 |
| 25020034 | 56 IMP 34 | IMPACT socket 3/4 " 34mm L.100mm | 4018754015887 |
| 25020036 | 56 IMP 36 | IMPACT socket 3/4 " 36mm L.100mm | 4018754015894 |
| 25020041 | 56 IMP 41 | IMPACT socket 3/4 " 41mm L.92mm  | 4018754233922 |
| 25020046 | 56 IMP 46 | IMPACT socket 3/4 " 46mm L.92mm  | 4018754233939 |

## GTIN.



## Accessories (for).



39023540  
IMPACT locking pin



39013650  
IMPACT rubber ring

STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal