



IMPACT sockets 1"

2609

Product no. **26090033**
GTIN **4018754016525**
Model **2609 IMP 33**



Label. IMPACT socket 1 " 33mm L.110mm

Properties.

- deep version, with reduced diameter
- with hex
- 1" internal square drive
- for wheel nuts
- Chrome Alloy Steel, gunmetal finish
- DIN 3129 / ISO 1711-2

Product highlights.




Powerful and resilient.

The sockets are made from high-quality Chrome Alloy Steel. They are hardened in oil to prevent stress and distortion.



Optimised functionality.


All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.



High fitting accuracy.

The high fitting accuracy due to tight tolerances guarantees optimum, backlash-free transmission of forces to the socket.

Technical drawing.



Technical attributes.

Drive profile	hex
Square drive inner (inch)	1 "
d1	49,8 mm
d2	54 mm
Length mm (L)	110 mm
Size [mm]	33 mm
t	78,5 mm

Logistics data.

Depth mm (IFS)	110
Width mm (IFS)	55
Height mm (IFS)	55
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	120
Width (packaged, mm)	120
Height (packaging, mm)	60
Volume (packaged, dm3)	0.864 dm3
Product no.	26090033
Weight (gross, kg)	2,204
Weight PAP (kg)	0,000
Weight PVC (kg)	0,011
GTIN	4018754016525
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	2
Weight (g)	1102 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
26090027	2609 IMP 27	IMPACT socket 1 " 27mm L.110mm	4018754016495
26090030	2609 IMP 30	IMPACT socket 1 " 30mm L.110mm	4018754016501
26090032	2609 IMP 32	IMPACT socket 1 " 32mm L.110mm	4018754016518
26090033	2609 IMP 33	IMPACT socket 1 " 33mm L.110mm	4018754016525

GTIN.

