



Series MANOSKOP® torque wrenches w.mount for insert tools

755



Product no. **50010030**
GTIN **4018754031658**
Model **755/30**

Label. MANOSKOP® torque wrench 755 60-300N·m 14 x 18 mm L. 609mm

Properties.

- clicking type with dual stop signal
- for work on assembly lines or for repetitive production tasks.
- no adjustment scale; therefore adjustment with test equipment is required, e.g. with the STAHLWILLE test devices No. 7707 W, SmartCheck or the perfectControl® calibration systems No. 7794, or calibration systems No. 7706. 7791)
- with holder for interchangeable insert tools
- particularly slim design
- handle and shaft made of square steel pipe
- Further loading after clicking or loads in the opposite direction of operation (up to the max. measurement range of the torque wrench) do not affect the trigger mechanism, which protects it from damage
- counter-clockwise tightening by flipping the insert tools over
- can be supplied pre-set at defined torque value and with certification (additional charge applies)
- **accuracy $\pm 4\%$**

Technical drawing.



Technical attributes.

Logistics data.

Measuring range N·m

60-300 N·m

Depth mm (IFS)

610

Measuring range ft·lb	40-220 ft·lb	Width mm (IFS)	36
Width mm (b)	28 mm	Height mm (IFS)	28
Size	30	WEEE/ElektroG	nicht ear-pflichtig
Tool holder size [internal square]	14 x 18 mm	Length (packaged, mm)	640
Height mm (h)	24 mm	Width (packaged, mm)	57
Length mm (L)	609 mm	Height (packaging, mm)	57
LF	587 mm	Volume (packaged, dm3)	2.07936 dm3
MA N·m	60 N·m	Product no.	50010030
Nominal value N·m	300 N·m	Weight (gross, kg)	1,330
SF	25 mm	Weight PAP (kg)	0,000
		Weight PVC (kg)	0,110
		GTIN	4018754031658
		Country of origin AWR	GERMANY
		Region of origin	Nordrhein-Westfalen
		Customs tariff no.	82041100
		Packing standard	1
		Weight (g)	1210 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
50010004	755/4	MANOSKOP® torque wrench 755 4-40N·m 9 x 12 mm L. 201mm	4018754031603
50010010	755/10	MANOSKOP® torque wrench 755 20-100N·m 9 x 12 mm L. 318mm	4018754031627
50010020	755/20	MANOSKOP® torque wrench 755 40-200N·m 14 x 18 mm L. 457mm	4018754031641
50010030	755/30	MANOSKOP® torque wrench 755 60-300N·m 14 x 18 mm L. 609mm	4018754031658

GTIN.



