



Water pump pliers FastGRIP

6572



Product no. **65726300**
GTIN **4018754206384**
Model **FastGRIP 6572 300**

Label. Water pump pliers FastGRIP Jaw w.44mm L.300mm Header polished

- Properties.**
- sliding slip joint with double support
 - quick adjustment at the push of a button on the workpiece
 - variable and smooth running, 15-way adjustable
 - induction-hardened serration for greater robustness and durability
 - clamping protection against crushing injuries
 - ergonomic handle with plastic coating and roughened surface
 - DIN ISO 8976
 - chromium vanadium steel, forged and oil-hardened

Benefits.

Infinitely variable and smooth-running quick adjustment at the push of a button on the tool.

The fine-toothed jaw reliably grips objects of various shapes and holds nuts and pipes securely.

The pliers feature a non-slip plastic coating and built-in crush protection for improved ergonomics and safety.

Sliding slip joint with double support increases stability during use.

The inductively hardened jaw teeth provide the water pump pliers with tremendous wear resistance.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Every action perfectly executed.

For precise work and powerful gripping - STAHLWILLE pliers with non-slip handle. The comfortable handles with rough surface structure allow safe, low-fatigue work, even with smeared hands.



PRODUCT IMAGE
IN PROGRESS

Flexible quick adjustment.

Adaptation to the workpiece is achieved by precise, multi-stage quick adjustment of the pivot pin. Adjustment takes place quickly and easily via a push button, which makes the use of these pump pliers flexible. An integrated clamping protection prevents crushing injuries.



PRODUCT IMAGE
IN PROGRESS

A secure hold and comfortable handling.

The ergonomically designed handles are coated with a non-slip plastic with a rough surface texture. This makes the pliers comfortable to hold and enables fatigue-free working - even with dirty hands. The integrated clamp protection reliably protects against crush injuries.



PRODUCT IMAGE
IN PROGRESS

Particularly durable and resistant.

Made from high-quality Chrome Alloy Steel, forged and oil-hardened, the water pump pliers meet the highest standards of robustness and durability. The inductively hardened jaw serration gives the tool additional hardness and wear resistance.

Technical attributes.

DIN	DIN ISO 8976
Handles	plastic overlay with a textured surface
Header	polished
Length mm (L)	300 mm
Alloy	Chrome Vanadium Steel
Jaw opening max. (mm)	44 mm
Opening width adjustment	15x

Logistics data.

Depth mm (IFS)	302
Width mm (IFS)	50
Height mm (IFS)	22
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	375
Width (packaged, mm)	100
Height (packaging, mm)	23
Volume (packaged, dm3)	0.8625 dm3

Product no.	65726300
Weight (gross, kg)	0,545
Weight PAP (kg)	0,000
Weight PVC (kg)	0,007
GTIN	4018754206384
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82032000
Packing standard	1
Weight (g)	530 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
65726180	FastGRIP 6572 180	Water pump pliers FastGRIP Jaw w.28mm L.180mm Header polished	4018754206377
65726240	FastGRIP 6572 240	Water pump pliers FastGRIP Jaw w.37mm L.240mm Header polished	4018754178421
65726300	FastGRIP 6572 300	Water pump pliers FastGRIP Jaw w.44mm L.300mm Header polished	4018754206384

GTIN.

