## STAHLWILLE()®



# Combination spanner sets OPEN BOX, metric

#### **OPEN BOX 13**

Product no. 96400816

GTIN 4018754122905 Model OPEN BOX 13/16











Label.

Combination spanner set OPEN BOX 13/16 7-24 16 pcs.

Properties.

- metric, identical end sizes
- ring-end cranked 15°, jaw angled 15°
- · reinforcement between jaw and shaft
- · durable, slim and lightweight design
- · extremely resilient and durable
- · high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- · drop-forged, hardened, and cooled in an oil bath
- · Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A
- · in sturdy cardboard packaging

#### Benefits.

Made in Germany - Combination spanner set in cardboard packaging, 16 pcs.-pcs., 7-24 mm, ring side  $15^{\circ}$  angled, DIN 3113 Form A / ISO 7738 Form A, Chrome Alloy Steel.

### Product highlights.



#### Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



#### A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.

### Technologies and features.



#### Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



#### Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



#### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

### Technical drawing.



### Technical attributes.

Logistics data.

Number of tools

16 pcs.

Depth mm (IFS)

280

			15.07.2025
Range	7-24	Width mm (IFS)	100
DIN	DIN 3113 Form A / ISO 7738 Form A	Height mm (IFS)	44
		WEEE/ElektroG	nicht ear-pflichtig
Contents	7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22;	Length (packaged, mm)	280
	24 mm	Width (packaged, mm)	100
Alloy	Chrome Alloy Steel	Height (packaging, mm)	44
Jaws angled	15 °	Volume (packaged, dm3)	1.232 dm3
Model No.	13/16	Product no.	96400816
Surface	chrome-plated	Weight (gross, kg)	1,630
		Weight PAP (kg)	0,066
		Weight PVC (kg)	0,000
		GTIN	4018754122905
		Country of origin AWR	GERMANY
		Region of origin	Nordrhein-Westfalen
		Packaging	in cardboard packaging
		Customs tariff no.	82041100
		Packing standard	1
		Weight (g)	1620 g

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
96400809	OPEN BOX 13/5	Combination spanner set OPEN BOX 13/5 8-19 5 pcs.	4018754323265
96400808	OPEN BOX 13/10	Combination spanner set OPEN BOX 13/10 8-19 10 pcs.	4018754080649
96400816	OPEN BOX 13/16	Combination spanner set OPEN BOX 13/16 7-24 16 pcs.	4018754122905
96400805	OPEN BOX 13/26	Combination spanner set OPEN BOX 13/26 6-32 26 pcs.	4018754080618

## GTIN.



## Images.



