



## UNIFLEX socket

47

Product no. **02040016**  
GTIN **4018754002528**  
Model **47 16**



**Label.** 3/8 " UNIFLEX socket Size 16mm L.51.5mm

**Properties.**

- bi-hex with AS-Drive profile
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

|                           |                 |
|---------------------------|-----------------|
| Drive profile             | bi-hex AS-Drive |
| Square drive inner (inch) | 3/8 "           |
| d1                        | 21,8 mm         |
| d2                        | 17,5 mm         |
| d3                        | 15 mm           |
| Length mm (L)             | 51,5 mm         |
| Size [mm]                 | 16 mm           |
| t1                        | 14 mm           |
| t2                        | 17 mm           |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Depth mm (IFS)         | 47                  |
| Width mm (IFS)         | 22                  |
| Height mm (IFS)        | 22                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Length (packaged, mm)  | 47                  |
| Width (packaged, mm)   | 22                  |
| Height (packaging, mm) | 22                  |
| Volume (packaged, dm3) | 0.022748 dm3        |
| Product no.            | 02040016            |
| Weight (gross, kg)     | 0,290               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,002               |
| GTIN                   | 4018754002528       |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Customs tariff no.     | 82042000            |
| Packing standard       | 5                   |
| Weight (g)             | 58 g                |

## Variants.

| Product no. | Model No. (ERP) | Description                             | GTIN          |
|-------------|-----------------|-----------------------------------------|---------------|
| 02040010    | 47 10           | 3/8 " UNIFLEX socket Size 10mm L.45.5mm | 4018754002467 |
| 02040011    | 47 11           | 3/8 " UNIFLEX socket Size 11mm L.47.5mm | 4018754002474 |
| 02040012    | 47 12           | 3/8 " UNIFLEX socket Size 12mm L.48mm   | 4018754002481 |

|          |       |                                         |               |
|----------|-------|-----------------------------------------|---------------|
| 02040013 | 47 13 | 3/8 " UNIFLEX socket Size 13mm L.48mm   | 4018754002498 |
| 02040014 | 47 14 | 3/8 " UNIFLEX socket Size 14mm L.48.5mm | 4018754002504 |
| 02040015 | 47 15 | 3/8 " UNIFLEX socket Size 15mm L.48.5mm | 4018754002511 |
| 02040016 | 47 16 | 3/8 " UNIFLEX socket Size 16mm L.51.5mm | 4018754002528 |
| 02040017 | 47 17 | 3/8 " UNIFLEX socket Size 17mm L.53.5mm | 4018754002535 |
| 02040018 | 47 18 | 3/8 " UNIFLEX socket Size 18mm L.54.5mm | 4018754002542 |
| 02040019 | 47 19 | 3/8 " UNIFLEX socket Size 19mm L.57mm   | 4018754002559 |

## GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal