



Sockets spline-drive

40aSP

Product no. **01011010**
GTIN **4018754109128**
Model **40aSP 5/16 Spline**



Label. 1/4 " Sockets spline-drive Size 5/16" L.22.2mm

Properties.

- for external Spline-Drive screws
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated
- MS-33787 / MIL-W-8982


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	Spline-Drive
Square drive inner (inch)	1/4 "
d1	11,6 mm
d2	11,6 mm
d3	7,1 mm
Size drive profile	10
Length mm (L)	22,2 mm
Size [inch]	5/16 "
t1	8 mm
t2	12,2 mm

Logistics data.

Depth mm (IFS)	23
Width mm (IFS)	11
Height mm (IFS)	11
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	23
Width (packaged, mm)	11
Height (packaging, mm)	11
Volume (packaged, dm3)	0.002783 dm3
Product no.	01011010
Weight (gross, kg)	0,120
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754109128
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	10
Weight (g)	12 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
01011007	40aSP 7/32 Spline	1/4 " Sockets spline-drive Size 7/32" L.22.2mm	4018754109098
01011008	40aSP 1/4 Spline	1/4 " Sockets spline-drive Size 1/4" L.22.2mm	4018754109104
01011009	40aSP 9/32 Spline	1/4 " Sockets spline-drive Size 9/32" L.22.2mm	4018754109111

01011010	40aSP 5/16 Spline	1/4 " Sockets spline-drive Size 5/16" L.22.2mm	4018754109128
01011012	40aSP 3/8 Spline	1/4 " Sockets spline-drive Size 3/8" L.23mm	4018754170838
01011014	40aSP 7/16 Spline	1/4 " Sockets spline-drive Size 7/16" L.25mm	4018754170845

GTIN.

