



VDE slotted screwdrivers DRALL+

4661 VDE

Product no. **46613055**
GTIN **4018754338115**
Model **DRALL+ 4661 VDE 5,5**



Label.

VDE slotted screwdriver DRALL+ 1,0mm x 5.5mm L.125mm

Properties.

- for slotted screws
- reduced blade diameter to reach deep joints
- blade with integrated protective insulation
- VDE insulated up to 1,000 V
- protective insulation according to IEC 60900-AC 1,000 V / DC 1,500 V
- gunmetal finished blade tip
- 3-component handle with laser marking
- Chrome Alloy Steel


Technologies and features.



3-component handle

Our 3-component handle combines hard, soft and special fibre-coated components, which give it its optimised ergonomics, maximum power transmission, and increased safety during daily use.

Technical drawing.



Technical attributes.

a	1,0 mm
Drive profile	slotted
Width mm (b)	5,5 mm
DIN	DIN EN 60900
Size	5
L1	125 mm
L2	240 mm

Logistics data.

Depth mm (IFS)	239
Width mm (IFS)	34
Height mm (IFS)	34
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	240
Width (packaged, mm)	115
Height (packaging, mm)	73
Volume (packaged, dm3)	2.0148 dm3
Product no.	46613055
Weight (gross, kg)	1,008
Weight PAP (kg)	0,102
Weight PVC (kg)	0,000
GTIN	4018754338115
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82054000
Packing standard	10
Weight (g)	103 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
46613035	DRALL+ 4661 VDE 3,5	VDE slotted screwdriver DRALL+ 0,6mm x 3.5mm L.100mm	4018754338092
46613040	DRALL+ 4661 VDE 4	VDE slotted screwdriver DRALL+ 0,8mm x 4mm L.100mm	4018754338108
46613055	DRALL+ 4661 VDE 5,5	VDE slotted screwdriver DRALL+ 1,0mm x 5.5mm L.125mm	4018754338115
46613065	DRALL+ 4661 VDE 6,5	VDE slotted screwdriver DRALL+ 1,5mm x 6.5mm L.150mm	4018754338122

GTIN.

