



## TORX® Tamper Resistant screwdrivers 3K DRALL®

4856



Product no. **48560040**  
GTIN **4018754123285**  
Model **3K DRALL® 4856 T40 TORX®**



**Label.** TORX® Tamper Resistant screwdriver 3K DRALL® T40 L.115mm

**Properties.**

- for recessed TORX® screws
- with hollow tip (TORX® Tamper Resistant)
- black tip
- 3-component handle with non-slip fibre coating and hanging hole
- Chrome Alloy Steel, matt chrome-plated

## Product highlights.



### Outstanding craftsmanship.

The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.


## Technologies and features.



### 3-component handle

Our 3-component handle combines hard, soft and special fibre-coated components, which give it its optimised ergonomics, maximum power transmission, and increased safety during daily use.

# Technical drawing.



## Technical attributes.

|                    |                        |
|--------------------|------------------------|
| Drive profile      | TORX® Tamper Resistant |
| Size drive profile | T40                    |
| L1                 | 115 mm                 |
| L2                 | 240 mm                 |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Depth mm (IFS)         | 220                 |
| Width mm (IFS)         | 32                  |
| Height mm (IFS)        | 25                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Length (packaged, mm)  | 321                 |
| Width (packaged, mm)   | 130                 |
| Height (packaging, mm) | 45                  |
| Volume (packaged, dm3) | 1.87785 dm3         |
| Product no.            | 48560040            |
| Weight (gross, kg)     | 0,640               |
| Weight PAP (kg)        | 0,082               |
| Weight PVC (kg)        | 0,000               |
| GTIN                   | 4018754123285       |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Customs tariff no.     | 82054000            |
| Packing standard       | 5                   |
| Weight (g)             | 86 g                |

## Variants.

| Product no. | Model No. (ERP)         | Description                                            | GTIN          |
|-------------|-------------------------|--------------------------------------------------------|---------------|
| 48560006    | 3K DRALL® 4856 T6 TORX® | TORX® Tamper Resistant screwdriver 3K DRALL® T6 L.50mm | 4018754123186 |
| 48560007    | 3K DRALL® 4856 T7 TORX® | TORX® Tamper Resistant screwdriver 3K DRALL® T7 L.50mm | 4018754123193 |
| 48560008    | 3K DRALL® 4856 T8 TORX® | TORX® Tamper Resistant screwdriver 3K DRALL® T8 L.60mm | 4018754123209 |
| 48560009    | 3K DRALL® 4856 T9 TORX® | TORX® Tamper Resistant screwdriver 3K DRALL® T9 L.60mm | 4018754123216 |

|          |                             |                                                             |               |
|----------|-----------------------------|-------------------------------------------------------------|---------------|
| 48560010 | 3K DRALL® 4856<br>T10 TORX® | TORX® Tamper Resistant screwdriver<br>3K DRALL® T10 L.80mm  | 4018754123223 |
| 48560015 | 3K DRALL® 4856<br>T15 TORX® | TORX® Tamper Resistant screwdriver<br>3K DRALL® T15 L.80mm  | 4018754123230 |
| 48560020 | 3K DRALL® 4856<br>T20 TORX® | TORX® Tamper Resistant screwdriver<br>3K DRALL® T20 L.100mm | 4018754123247 |
| 48560025 | 3K DRALL® 4856<br>T25 TORX® | TORX® Tamper Resistant screwdriver<br>3K DRALL® T25 L.100mm | 4018754123254 |
| 48560027 | 3K DRALL® 4856<br>T27 TORX® | TORX® Tamper Resistant screwdriver<br>3K DRALL® T27 L.115mm | 4018754123261 |
| 48560030 | 3K DRALL® 4856<br>T30 TORX® | TORX® Tamper Resistant screwdriver<br>3K DRALL® T30 L.115mm | 4018754123278 |
| 48560040 | 3K DRALL® 4856<br>T40 TORX® | TORX® Tamper Resistant screwdriver<br>3K DRALL® T40 L.115mm | 4018754123285 |

## GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal