



UNIFLEX sockets

402

Product no. **01140007**
GTIN **4018754000678**
Model **402 7**



Label. 1/4 " UNIFLEX sockets Size 7mm L.33.5mm

Properties.

- bi-hex with AS-Drive profile
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	bi-hex AS-Drive
Square drive inner (inch)	1/4 "
d1	10,4 mm
d2	12,7 mm
d3	6 mm
Length mm (L)	33,5 mm
Size [mm]	7 mm
t1	6 mm
t2	11,5 mm

Logistics data.

Depth mm (IFS)	33
Width mm (IFS)	13
Height mm (IFS)	13
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	60
Width (packaged, mm)	50
Height (packaging, mm)	13
Volume (packaged, dm3)	0.039 dm3
Product no.	01140007
Weight (gross, kg)	0,080
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754000678
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	5
Weight (g)	16 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
01140006	402 6	1/4 " UNIFLEX sockets Size 6mm L.32mm	4018754140978
01140007	402 7	1/4 " UNIFLEX sockets Size 7mm L.33.5mm	4018754000678
01140008	402 8	1/4 " UNIFLEX sockets Size 8mm L.35mm	4018754000685

01140009	402 9	1/4 " UNIFLEX sockets Size 9mm L.36mm	4018754000692
01140010	402 10	1/4 " UNIFLEX sockets Size 10mm L.38mm	4018754000708

GTIN.

