



IMPACT sockets 1/2"

2309



Product no. **23090019**
GTIN **4018754015351**
Model **2309 IMP 19**



Label. IMPACT socket 1/2 " 19mm L.85mm

Properties.

- deep version, with reduced diameter
- with hex
- 1/2" internal square drive
- Chrome Alloy Steel, gunmetal finish

Product highlights.



Optimised functionality.

All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.



High fitting accuracy.

The high fitting accuracy due to tight tolerances guarantees optimum, backlash-free transmission of forces to the socket.

Technical drawing.



Technical attributes.

Drive profile	hex
Square drive inner (inch)	1/2 "
d1	28,2 mm
d2	30 mm
Length mm (L)	85 mm
Size [mm]	19 mm
t	67,5 mm

Logistics data.

Depth mm (IFS)	85
Width mm (IFS)	30
Height mm (IFS)	30
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	95
Width (packaged, mm)	85
Height (packaging, mm)	70
Volume (packaged, dm3)	0.56525 dm3
Product no.	23090019
Weight (gross, kg)	1,285
Weight PAP (kg)	0,000
Weight PVC (kg)	0,008
GTIN	4018754015351
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	5
Weight (g)	257 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
23090017	2309 IMP 17	IMPACT socket 1/2 " 17mm L.85mm	4018754015344
23090019	2309 IMP 19	IMPACT socket 1/2 " 19mm L.85mm	4018754015351
23090221	2309 IMP 21	IMPACT socket 1/2 " 21mm L.85mm	4018754265787

23090022

2309 IMP 22

IMPACT socket 1/2 " 22mm L.85mm

4018754015368

GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal