



IMPACT sockets TORX® 1/2"

2308TX

Product no. **23080024**
GTIN **4018754015337**
Model **2308TX IMP E24 TORX®**



Label. IMPACT socket 1/2 " E24 L.41.2mm

Properties.


- for external TORX® screws
- 1/2" internal square drive
- Chrome Alloy Steel, gunmetal finish

Product highlights.



Optimised functionality.


All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.



High fitting accuracy.

The high fitting accuracy due to tight tolerances guarantees optimum, backlash-free transmission of forces to the socket.

Technical drawing.



Technical attributes.

Drive profile	TORX®
TORX® drive profile (mm)	22,1 mm
Square drive inner (inch)	1/2 "
d1	30 mm
d2	30 mm
Size drive profile	E24
Length mm (L)	41,2 mm

Logistics data.

Depth mm (IFS)	42
Width mm (IFS)	30
Height mm (IFS)	30
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	170
Width (packaged, mm)	70
Height (packaging, mm)	45
Volume (packaged, dm3)	0.5355 dm3
Product no.	23080024
Weight (gross, kg)	1,490
Weight PAP (kg)	0,000
Weight PVC (kg)	0,008
GTIN	4018754015337
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	10
Weight (g)	149 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
23080010	2308TX IMP E10 TORX®	IMPACT socket 1/2 " E10 L.38mm	4018754015276
23080012	2308TX IMP E12 TORX®	IMPACT socket 1/2 " E12 L.38mm	4018754015283
23080014	2308TX IMP E14 TORX®	IMPACT socket 1/2 " E14 L.38mm	4018754015290

23080016	2308TX IMP E16 TORX®	IMPACT socket 1/2 " E16 L.38mm	4018754015306
23080018	2308TX IMP E18 TORX®	IMPACT socket 1/2 " E18 L.38mm	4018754015313
23080020	2308TX IMP E20 TORX®	IMPACT socket 1/2 " E20 L.38mm	4018754015320
23080024	2308TX IMP E24 TORX®	IMPACT socket 1/2 " E24 L.41.2mm	4018754015337

GTIN.



Accessories (for).



39022530
IMPACT locking pin



39012440
IMPACT rubber ring