,STAHL**WILLE**()®



Combination spanners i.TCS inlay

TCS OPEN BOX 13/21 6-34

Product no. 96830174

GTIN 4018754152179

OPEN BOX TCS 13/21 Model











Label.

Combination spanners i.TCS inlay TCS OPEN BOX 13/21 6-34 21 pcs.

Properties.

- · metric, identical end sizes
- ring-end cranked 15°, jaw angled 15°
- reinforcement between jaw and shaft
- · durable, slim and lightweight design
- · extremely resilient and durable
- · high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- · drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A
- safely integrated in the modular Tool Control System (TCS)

Contains 21-pieces:

21 combination spanners No. 13: 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 34 mm

Benefits.

Made in Germany - Combination spanners i.TCS inlay in TCS inlay, 21 pcs., 6-34 mm, ring side 15° angled, DIN 3113 Form A / ISO 7738 Form A, Chrome Alloy Steel.

Product highlights.



Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.



Order and check.

The set is securely organised in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



Double-T profile

Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Number of tools	21 pcs.	
Range	6-34	
Width mm (b)	530 mm	
DIN	DIN 3113 Form A / ISO 7738 Form A	
Height mm (h)	75 mm	
Length mm (L)	(L) 350 mm	
Alloy	Chrome Alloy Steel	
Surface	chrome-plated	
rawer dividers 3/3		

Logistics data.

Depth mm (IFS)

Width mm (IFS)	360
Height mm (IFS)	90
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	560
Width (packaged, mm)	360
Height (packaging, mm)	90
Volume (packaged, dm3)	18.144 dm3
Product no.	96830174
Weight (gross, kg)	4,000
Weight PAP (kg)	0,398
Weight PVC (kg)	0,000
GTIN	4018754152179
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1

560

Weight (g)

3710 g

Variants.

Product no	. Model No. (ERP)	Description	GTIN
96830174	OPEN BOX TCS 13/21	Combination spanners i.TCS inlay TCS OPEN BOX 13/21 6-34 21 pcs.	4018754152179

GTIN.



Images.

