



Socket spline-drive

45aSP

Product no. 02011012
GTIN 4018754109142
Model 45aSP 3/8 Spline



Label. 3/8 " Socket spline-drive Size 3/8" L.26.5mm

Properties.

- for external Spline-Drive screws
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated
- MS-33787 / MIL-W-8982


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	Spline-Drive
Square drive inner (inch)	3/8 "
d1	13,7 mm
d2	16,5 mm
d3	8,6 mm
Size drive profile	12
Length mm (L)	26,5 mm
Size [inch]	3/8 "
t1	9 mm
t2	15 mm

Logistics data.

Depth mm (IFS)	26
Width mm (IFS)	17
Height mm (IFS)	17
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	26
Width (packaged, mm)	17
Height (packaging, mm)	17
Volume (packaged, dm3)	0.007514 dm3
Product no.	02011012
Weight (gross, kg)	0,120
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754109142
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	5
Weight (g)	24 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
02011012	45aSP 3/8 Spline	3/8 " Socket spline-drive Size 3/8" L.26.5mm	4018754109142
02011014	45aSP 7/16 Spline	3/8 " Socket spline-drive Size 7/16" L.28mm	4018754109159
02011016	45aSP 1/2 Spline	3/8 " Socket spline-drive Size 1/2" L.28mm	4018754109166

GTIN.

