



TORX® Tamper Resistant screwdrivers 3K DRALL®

4856



Product no. **48560025**
GTIN **4018754123254**
Model **3K DRALL® 4856 T25 TORX®**



Label. TORX® Tamper Resistant screwdriver 3K DRALL® T25 L.100mm

Properties.

- for recessed TORX® screws
- with hollow tip (TORX® Tamper Resistant)
- black tip
- 3-component handle with non-slip fibre coating and hanging hole
- Chrome Alloy Steel, matt chrome-plated

Product highlights.



Outstanding craftsmanship.

The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.


Technologies and features.



3-component handle

Our 3-component handle combines hard, soft and special fibre-coated components, which give it its optimised ergonomics, maximum power transmission, and increased safety during daily use.

Technical drawing.



Technical attributes.

Drive profile	TORX® Tamper Resistant
Size drive profile	T25
L1	100 mm
L2	215 mm

Logistics data.

Depth mm (IFS)	193
Width mm (IFS)	25
Height mm (IFS)	20
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	227
Width (packaged, mm)	125
Height (packaging, mm)	38
Volume (packaged, dm3)	1.07825 dm3
Product no.	48560025
Weight (gross, kg)	0,395
Weight PAP (kg)	0,061
Weight PVC (kg)	0,000
GTIN	4018754123254
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82054000
Packing standard	5
Weight (g)	55 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
48560006	3K DRALL® 4856 T6 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T6 L.50mm	4018754123186
48560007	3K DRALL® 4856 T7 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T7 L.50mm	4018754123193
48560008	3K DRALL® 4856 T8 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T8 L.60mm	4018754123209
48560009	3K DRALL® 4856 T9 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T9 L.60mm	4018754123216

48560010	3K DRALL® 4856 T10 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T10 L.80mm	4018754123223
48560015	3K DRALL® 4856 T15 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T15 L.80mm	4018754123230
48560020	3K DRALL® 4856 T20 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T20 L.100mm	4018754123247
48560025	3K DRALL® 4856 T25 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T25 L.100mm	4018754123254
48560027	3K DRALL® 4856 T27 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T27 L.115mm	4018754123261
48560030	3K DRALL® 4856 T30 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T30 L.115mm	4018754123278
48560040	3K DRALL® 4856 T40 TORX®	TORX® Tamper Resistant screwdriver 3K DRALL® T40 L.115mm	4018754123285

GTIN.

STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal