



## Double-ended ring spanner sets StahlwilleSTABIL®, metric

### StahlwilleSTABIL® 21

Product no. **96410501**  
GTIN **4018754081004**  
Model **StahlwilleSTABIL® 21/10**



**Label.** Double-ended ring spanner set StahlwilleSTABIL® 21/10 6x7-30x32 10 pcs.

- Properties.**
- **metric, differing** end sizes
  - straight version
  - durable, slim and lightweight design
  - high flexural strength due to double-T profile
  - STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
  - drop-forged, hardened, and cooled in an oil bath
  - Chrome Alloy Steel, chrome-plated
  - in cardboard packaging

## Benefits.

High quality double-ended ring spanner set in metric sizes.

The AS-Drive profile prevents damage to the fastener caused by force being applied to the edges of the nut or bolt.

Manufactured from durable Chrome Alloy Steel for a long service life and resistance to wear.

The straight design makes it easier to work in tight spaces.

The distinctive STAHLWILLE rounded finish ensures the combination spanner is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

## Technologies and features.



### Double-T profile

Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

## Technical attributes.

|                 |                                                                                         |
|-----------------|-----------------------------------------------------------------------------------------|
| Number of tools | 10 pcs.                                                                                 |
| Range           | 6x7-30x32                                                                               |
| Contents        | 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 24 x 27; 30 x 32 mm |
| Alloy           | Chrome Alloy Steel                                                                      |
| Surface         | chrome-plated                                                                           |
| Model No.       | 21/10                                                                                   |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Depth mm (IFS)         | 335                 |
| Width mm (IFS)         | 58                  |
| Height mm (IFS)        | 25                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Length (packaged, mm)  | 335                 |
| Width (packaged, mm)   | 58                  |
| Height (packaging, mm) | 25                  |
| Volume (packaged, dm3) | 0.48575 dm3         |
| Product no.            | 96410501            |
| Weight (gross, kg)     | 0,975               |
| Weight PAP (kg)        | 0,066               |
| Weight PVC (kg)        | 0,000               |
| GTIN                   | 4018754081004       |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Customs tariff no.     | 82041100            |
| Packing standard       | 1                   |
| Weight (g)             | 943 g               |

## Variants.

| Product no. | Model No. (ERP)            | Description                                                                   | GTIN          |
|-------------|----------------------------|-------------------------------------------------------------------------------|---------------|
| 96410503    | StahlwilleSTABIL®<br>21/7  | Double-ended ring spanner set<br>StahlwilleSTABIL® 21/7 8x9-20x22 7<br>pcs.   | 4018754081011 |
| 96410501    | StahlwilleSTABIL®<br>21/10 | Double-ended ring spanner set<br>StahlwilleSTABIL® 21/10 6x7-30x32 10<br>pcs. | 4018754081004 |

## GTIN.

