



Double-ended ring spanners, metric

StahlwilleSTABIL®21



Product no. **41052427**
GTIN **4018754021406**
Model **21 24 x 27**



Label.

Double-ended ring spanner Size 24 x 27 mm L.290mm

Properties.

- **metric, differing** end sizes
- straight version
- bi-hex with AS-Drive profile
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 837 / ISO 10103

Benefits.

High quality double-ended ring spanner with a straight design in metric spanner sizes.

Technologies and features.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the screw head.



Double-T profile


Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

Technical drawing.



Technical attributes.

a	11 mm
Drive profile	bi-hex AS-Drive
d1	34,7 mm
d2	38,5 mm
DIN	DIN 837 / ISO 10103
Length mm (L)	290 mm
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Size 1 [mm]	24 mm
Size 2 [mm]	27 mm

Logistics data.

Depth mm (IFS)	290
Width mm (IFS)	39
Height mm (IFS)	11
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	305
Width (packaged, mm)	80
Height (packaging, mm)	40
Volume (packaged, dm3)	0.976 dm3
Product no.	41052427
Weight (gross, kg)	1,125
Weight PAP (kg)	0,000
Weight PVC (kg)	0,013
GTIN	4018754021406
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	5
Weight (g)	225 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
41050607	21 6 x 7	Double-ended ring spanner Size 6 x 7 mm L.100mm	4018754021222
41050809	21 8 x 9	Double-ended ring spanner Size 8 x 9 mm L.115mm	4018754021239
41050810	21 8 x 10	Double-ended ring spanner Size 8 x 10 mm L.115mm	4018754021246
41051011	21 10 x 11	Double-ended ring spanner Size 10 x 11 mm L.130mm	4018754021253
41051213	21 12 x 13	Double-ended ring spanner Size 12 x 13 mm L.150mm	4018754021260
41051317	21 13 x 17	Double-ended ring spanner Size 13 x 17 mm L.165mm	4018754021291
41051415	21 14 x 15	Double-ended ring spanner Size 14 x 15 mm L.165mm	4018754021307
41051617	21 16 x 17	Double-ended ring spanner Size 16 x 17 mm L.170mm	4018754021314
41051719	21 17 x 19	Double-ended ring spanner Size 17 x 19 mm L.185mm	4018754021338
41051819	21 18 x 19	Double-ended ring spanner Size 18 x 19 mm L.185mm	4018754021345
41051821	21 18 x 21	Double-ended ring spanner Size 18 x 21 mm L.210mm	4018754021352
41051922	21 19 x 22	Double-ended ring spanner Size 19 x 22 mm L.210mm	4018754021369
41052022	21 20 x 22	Double-ended ring spanner Size 20 x 22 mm L.210mm	4018754021376
41052124	21 21 x 24	Double-ended ring spanner Size 21 x 24 mm L.235mm	4018754021390
41052427	21 24 x 27	Double-ended ring spanner Size 24 x 27 mm L.290mm	4018754021406
41052732	21 27 x 32	Double-ended ring spanner Size 27 x 32 mm L.320mm	4018754085187
41053032	21 30 x 32	Double-ended ring spanner Size 30 x 32 mm L.325mm	4018754021420
41053034	21 30 x 34	Double-ended ring spanner Size 30 x 34 mm L.325mm	4018754021437

GTIN.

