



UNIFLEX socket

53

Product no. **03040010**
GTIN **4018754006151**
Model **53 10**



Label. 1/2 " UNIFLEX socket Size 10mm L.70mm

Properties.

- hex with AS-Drive profile
- 1/2" internal square drive
- Chrome Alloy Steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	hex AS-Drive
Square drive inner (inch)	1/2 "
d1	14,7 mm
d2	25 mm
d3	9 mm
Length mm (L)	70 mm
Size [mm]	10 mm
t2	20 mm

Logistics data.

Depth mm (IFS)	70
Width mm (IFS)	25
Height mm (IFS)	25
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	70
Width (packaged, mm)	25
Height (packaging, mm)	25
Volume (packaged, dm3)	0.04375 dm3
Product no.	03040010
Weight (gross, kg)	0,139
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754006151
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	1
Weight (g)	136 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
03040010	53 10	1/2 " UNIFLEX socket Size 10mm L.70mm	4018754006151
03040013	53 13	1/2 " UNIFLEX socket Size 13mm L.70mm	4018754006175
03040016	53 16	1/2 " UNIFLEX socket Size 16mm L.69mm	4018754006199

03040017	53 17	1/2 " UNIFLEX socket Size 17mm L.70mm	4018754006205
03040018	53 18	1/2 " UNIFLEX socket Size 18mm L.70mm	4018754006212
03040019	53 19	1/2 " UNIFLEX socket Size 19mm L.70mm	4018754006229

GTIN.

