



Series MANOSKOP® torque wrench w. permanently installed ratchet

755R/1



Product no. **50100001**
GTIN **4018754096268**
Model **755R/1**


Label.

MANOSKOP® torque wrench 755R/1 1.5-12.5N·m 1/4" L. 173.5mm

Properties.

- clicking type with dual stop signal
- for work on assembly lines or for repetitive production tasks.
- no adjustment scale; therefore adjustment with test equipment is required, e.g. with the STAHLWILLE test devices No. 7707 W, SmartCheck or the perfectControl® calibration system No. 7794, or calibration systems No. 7706. 7791)
- measurements are independent of the point of application of force
- for controlled clockwise tightening
- with permanently installed ratchet
- 22 teeth
- particularly slim design
- handle and shaft made of square steel pipe
- clicking mechanism insensitive to continuous loads and counter-loads (up to the max. measurement range of the torque wrench)
- can be supplied pre-set at defined torque value and with certification (additional charge applies)
- **accuracy $\pm 4\%$**

Technical drawing.



Technical attributes.

Measuring range N·m	1.5-12.5 N·m
Measuring range ft·lb	1,0-9,0 ft·lb
External square drive (inch)	1/4
Width mm (b)	22 mm
Height mm (h)	18 mm
Length mm (L)	173,5 mm
MA N·m	1.5 N·m
Nominal value N·m	12.5 N·m

Logistics data.

Depth mm (IFS)	175
Width mm (IFS)	28
Height mm (IFS)	27
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	230
Width (packaged, mm)	52
Height (packaging, mm)	52
Volume (packaged, dm3)	0.62192 dm3
Product no.	50100001
Weight (gross, kg)	0,405
Weight PAP (kg)	0,000
Weight PVC (kg)	0,066
GTIN	4018754096268
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	335 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
50100001	755R/1	MANOSKOP® torque wrench 755R/1 1.5-12.5N·m 1/4" L. 173.5mm	4018754096268
91050041	755R/1 6 NM + WKS	MANOSKOP® torque wrench 755R/1 nullN·m " L. nullmm	4018754121212

GTIN.



