

Tool set with tool trolley, 349 pieces

95/349QR

Product no. 98830243

GTIN 4018754363049

Model 95/349QR



Label.

Tool set with tool trolley 95/349QR Drawer organisation8 anthracite, RAL 7016 349 pcs.

Properties.

Top features of the tool trolley

- three-stage security concept:
 - central locking via side cylinder lock with fold-down key
 - individual locking prevents accidental opening while driving
 - tilt protection - several drawers cannot be pulled out at the same time.
- black lacquered steel handle with reinforced body connection
- all-round impact protection with shock absorption
- tightly welded, resistant work and storage surface
- oil and acid-resistant, ball-bearing smooth-running castors (castor Ø 125 mm) with thread protection to protect the bearings from dirt and threads, with 2 locking brakes
- paper roll and spray can holder included
- 8 easily removable drawers (black RAL 9005) with full extension and ball cage guide
- perforation on both sides for hooks No. 8031-8041, e.g. for larger tools
- can be equipped with STAHLWILLE standard and TCS inlays
- safely integrated in the modular Tool Control System (TCS)

1 tool trolley **No. 95/8 A PRO**: 8 drawers

Contains 349-pieces:

96830303

13 sockets 1/4" with hex **No. 40:** 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm

12 long sockets with hex 1/4" **No. 40L:** 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm

6 sockets 1/4" TORX® No. 40TX: E4; E5; E6; E7; E8; E10

5 IN HEX screwdriver sockets 1/4" **No. 44:** 3 (2x); 4; 5; 6mm

2 screwdriver sockets PH 1/4" **No. 44PH**: PH1; PH2

2 screwdriver sockets PH 1/4" **No. 44PZ:** PZ1; PZ2

8 screwdriver sockets TORX® 1/4" **No. 44KTXB:** T8; T9; T10; T15; T20; T25; T27; T30

3 flex sockets 1/4" No. 402: 6; 8, 10 mm

1 Wobble Drive extension 1/4" **No. 405W**: L. 254 mm

3 QuickRelease extensions 1/4" **No. 408QR**: L. 55; 99; 150 mm

1 QuickRelease universal joint 1/4" No. 407/1QR: L. 45 mm

1 flexible extension 1/4" **No. 406:** L. 152 mm

1 bit holder 1/4" **No. 412**: L. 25 mm

1 QuickRelease fine-tooth ratchet 1/4" **No. 415QR N**: L. 117 mm
 1 QuickRelease fine-tooth articulated ratchet 1/4" **No. 416QR**: L. 170 mm
 4 TORX® sockets 3/8" **No. 45TX**: E8; E10; E12; E14
 12 long sockets with bi-hex 3/8" **No. 46**: 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22 mm
 4 screwdriver sockets 3/8" for INHEX screws **No. 49**: 6; 7; 8; 10 mm
 4 screwdriver sockets XZN® 3/8" **No. 49X**: M5; M6; M8; M10
 5 screwdriver sockets TORX® 3/8" **No. 49TX**: T25; T27; T30; T40; T45
 26 hex sockets 3/8" **No. 456**: 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm (2 each)
 1 long socket, with bi-hex and rubber insert 3/8" **No. 4600**: 16 mm-5/8"
 1 spark plug socket, long, with hexagon and rubber insert 3/8" **No. 4606**: 18 mm/11/16"
 2 INHEX screwdriver sockets 3/8" **No. 1049**: 7; 9 mm
 1 step-up adaptor 3/8" **No. 409**: 1/4 to 3/8" L. 25 mm
 3 QuickRelease extensions 3/8" **No. 426QR**: L. 75; 160; 240 mm
 1 Wobbel Drive extension 3/8" **No. 427W**: L. 76 mm
 1 QuickRelease universal joint 3/8" **No. 428/1QR**: L. 60 mm
 1 QuickRelease fine-tooth ratchet 3/8" **No. 435QR N**: L. 193 mm
 1 step down adaptor **No. 431**: 3/8 to 1/4"
 1 step-up adaptor **No. 432**: 3/8 to 1/2"
 1 step down adaptor **No. 513**: 1/2 to 3/8"

96830304

6 sockets TORX® 1/2" **No. 50TX**: E12; E14; E16; E18; E20; E24
 20 sockets 1/2" with hex **No. 52**: 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 26; 27; 28; 30; 32 mm
 7 screwdriver sockets INHEX 1/2" **No. 54**: 6; 7; 8; 10; 12; 14; 17 mm
 7 screwdriver sockets 1/2" **No. 54X**: M5; M6; M8; M10; M12; M14; M16
 8 screwdriver sockets 1/2" **No. 54TX**: T27; T30; T40; T45; T50; T55; T60; T70
 1 Wobble Drive extension 1/2" **No. 509W**: L. 52 mm
 2 QuickRelease socket wrench extensions, with countersunk head 1/2" **No. 503QR**: L. 130; 250 mm
 1 QuickRelease universal joint 1/2" **No. 510QR**: L. 80 mm
 1 flex handle 1/2" **No. 504-2K**: L. 397 mm
 1 QuickRelease fine-tooth ratchet 1/2" **No. 512QR N**: L. 265.5 mm
 1 telescopic ratchet 1/2" **No. 516**: L. 410 - 630 mm
 3 IMPACT sockets 1/2" **No. 51IMP**: 17; 19; 21 mm

96830305

4 slotted screwdrivers **No. 4622**: 1.0 x 5.5 x 100; 1.2 x 6.5 x 125; 1.6 x 10.0 x 175; 2.0 x 12.0 x 200 mm
 1 DRALL+ cross-head screwdriver **No. 4630**: PH1
 1 DRALL+ cross-head screwdriver **No. 4632**: PH3
 10 TORX® screwdriver **No. 4650**: T6; T7; T8; T9; T10; T15; T20; T25; T27; T30
 1 slotted screwdriver **No. 4724**: 1.0 x 5.5 x 25 mm
 1 cross-head screwdriver **No. 4734**: PH2
 1 bit ratchet screwdriver 1/4" **No. 4008-1**: L. 250 mm
 1 bit ratchet screwdriver 1/4" **No. 4008-2**: L. 95 mm
 1 bit box **No. 1206**: 1 bit holder | L. 25 mm: SL4;5;6 mm (2x) | PH1;2;3 (3x) | PZ1;2;3 (3x) | T10;15;20;25;27;30;40 (2x) | T B010;15;20;25;27;30;40 | INHEX 3;4;5 mm | L. 75 mm: SL6 mm | PH2;3 | PZ1;2 | T20;25 | 56 pieces

96830306

2 circlip pliers for internal circlips **No. 6543, 6544**: J2; J21
 2 circlip pliers for external circlips **No. 6545, 6546**: A2; A21
 1 water pump pliers **No. 6572**: L. 240 mm
 1 combination pliers **No. 6700**: L. 180 mm

1 heavy-duty side cutter **No. 6721**: L. 160 mm
1 telephone pliers **No. 6730**: L. 200 mm
1 telephone pliers **No. 6731**: L. 200 mm
5 plastic scrapers **No. 10677-10681**: wide, medium, narrow, angled, pointed blade
1 work light **No. 13134**: 500, 300, 100 lm
1 hex L-Key set **No. 10767/9**: 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
1 bottle opener STAHLWILLE: L. 135 mm

96830307

20 combination spanners **No. 13**: 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm
3 double-ended ring spanners, open-ended **No. 24**: 8 x 10; 11 x 13; 12 x 14 mm
15 combination ratchet spanners **No. 17**: 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm

96830308

1 brake caliper brush **No. 12373**: L. 230 mm
1 telescopic stainless steel mirror **No. 12921M**: L. 178-921 mm
1 automotive circuit tester **No. 12905**: 6-12 + 24 V
1 tyre tread caliper **No. 12900/3**: 0-30 mm
1 caliper **No. 12900**: Measuring range: 150/6 mm/"
2 magnetic lifters **No. 12600**: 270; 500 g
1 cable knife **No. 12320**: 111 mm
1 precision feeler gauge, 13 blades **No. 11095-11097**: 0.05-1 mm
1 lever bar **No. 11006**: L. 400 mm
1 gasket scraper **No. 12718**: L. 265 mm
1 nylon hammer **No. 10956**: 75 Shore
1 engineer's hammer **No. 10961**: 500 g
5 pin punches **No. 108**: 3; 4; 5; 6; 8 mm
1 centre punch **No. 105**: 120 mm
2 flat chisels **No. 102**: 150; 200 mm
1 universal self-grip wrench **No. 6563**: L. 250 mm

Benefits.

Heavy-duty, robust tool trolley with 8 fully extendable drawers and central locking, including 349-piece tool set.

Patented QuickRelease locking system secures all components, from the ratchet to the extension to the socket.

The tools are securely integrated in durable, chemical-resistant TCS inlays with precise recesses and colour-coded signal areas.

Extensive automotive range with fine-tooth ratchets, sockets up to 32 mm, measuring and testing tools, screwdrivers, pliers and much more.

The robust 95/8 tool trolley has a static load capacity of up to 750 kg - the bottom drawer has a load capacity of up to 45 kg.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Complete solution for automotive and industrial applications.

Our comprehensive tool set offers the right solution for professional applications in the automotive and industrial sectors: whether replacing spark plugs, loosening stubborn bolted joints on axle or chassis components, performing electrical testing or maintenance work on machines. It includes fine-tooth ratchets with QuickRelease, sockets in 1/4", 3/8" and 1/2" up to 32 mm, a versatile bit set, long spark plug sockets, precise measuring and testing tools, a wide selection of screwdrivers and pliers, and numerous special tools. This equipment provides a reliable basis for all daily tasks in the workshop and in industrial environments.



Takes on anything.

High-quality materials such as the tightly welded stainless steel tray with a scratch-resistant honeycomb structure ensure the durability typical of STAHLWILLE and prevent liquids from penetrating into the interior of the trolley. The 827 x 496 mm work surface is particularly suitable for working on large components. Thanks to its robust construction, the 95 PRO has a static load capacity of 750 kg. The drawers can be loaded with 30 kg thanks to reinforcements, and the bottom drawer can even be loaded with 45 kg.



Full configuration as standard.

Whether paper roll and spray can holders, all-round impact protection with shock absorption, perforations on both sides for attaching accessories, locking brakes or oil and acid-resistant smooth-running castors (Ø 125 mm) with thread protection. Our tool trolley has many features - and they come as standard.

Technologies and features.



Modular Inlay System

This flexible solution for tool storage makes it possible to customise your tool trolleys and workbenches with 1/6, 1/3, 2/3 or 3/3 foam inserts.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



QuickRelease



The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Number of drawers	8
Number of tools	349 pcs.
Width mm (b)	823 mm
Colour	anthracite, RAL 7016
Height mm (h)	1021 mm
Length mm (L)	497 mm

Logistics data.

WEEE/ElektroG	nicht ear-pflichtig
Volume (packaged, dm3)	0 dm3
Product no.	98830243
Weight (gross, kg)	0,000
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
GTIN	4018754363049
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82060000
Packing standard	1
Weight (g)	101000 g



Variants.


Product no.	Model No. (ERP)	Description	GTIN
98830243	95/349QR	Tool set with tool trolley 95/349QR Drawer organisation8 anthracite, RAL 7016 349 pcs.	4018754363049

GTIN.



Images.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal