



QuickRelease safety lock

7161

Product no. **54100072**
GTIN **4018754230075**
Model **7161-3**

Label.

QuickRelease safety lock

Properties.

- prevents replacement of the insert tools
- is locked with a safety screw on the head of the torque wrench
- after assembly, the insert tool can be inserted but not removed
- interchangeable insert tools can be used again after loosening the safety screw
- a TORX® screwdriver with hole in the tip (No. 4656, T20, product no. 46563020) or a screwdriver bit with hole in the tip (No. 1442, T20, product no. 08160020) can be used to operate the safety screw
- for other torque wrenches on request



Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change.

Technical attributes.

for model	713R/20-40; 714/20-40; 730/12-40 Quick; 730/12-40 Fix; 730N/ 12-40; 730D/20-40
Size	3
Length mm (L)	35 mm

Logistics data.

Depth mm (IFS)	35
Width mm (IFS)	35
Height mm (IFS)	27
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	35
Width (packaged, mm)	35
Height (packaging, mm)	30
Volume (packaged, dm3)	0.03675 dm3
Product no.	54100072
Weight (gross, kg)	0,012
Weight PAP (kg)	0,000
Weight PVC (kg)	0,003
GTIN	4018754230075
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	39269097
Packing standard	1
Weight (g)	11 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
54100070	7161-1	QuickRelease safety lock	4018754230051
54100071	7161-2	QuickRelease safety lock	4018754230068
54100072	7161-3	QuickRelease safety lock	4018754230075
54100073	7161-4	QuickRelease safety lock	4018754245963
54100074	7161-5	QuickRelease safety lock	4018754245970

GTIN.



