



Socket

51S

Product no. **03240017**
GTIN **4018754007165**
Model **51S 17**



Label. 1/2 " Socket Size mm L.83mm

- Properties.**
- long version
 - hex with AS-Drive profile
 - 1/2" internal square drive
 - HPQ® high performance steel, chrome-plated
 - size 20.8 mm - 13/16": with rubber insert for spark plugs
 - DIN 3124 / ISO 2725-1 / DIN EN 3710 / DIN EN 3709


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	hex AS-Drive
Square drive inner (inch)	1/2 "
d1	24 mm
d2	23,7 mm
d3	16 mm
DIN	DIN 3124 / ISO 2725-1, DIN EN 3710, DIN EN 3709
Length mm (L)	83 mm
Size [mm]	17 mm
t1	35 mm
t2	64,3 mm

Logistics data.

Depth mm (IFS)	83
Width mm (IFS)	24
Height mm (IFS)	24
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	125
Width (packaged, mm)	85
Height (packaging, mm)	49
Volume (packaged, dm3)	0.520625 dm3
Product no.	03240017
Weight (gross, kg)	1,515
Weight PAP (kg)	0,000
Weight PVC (kg)	0,008
GTIN	4018754007165
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	10
Weight (g)	157 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
03240017	51S 17	1/2 " Socket Size mm L.83mm	4018754007165
03240019	51S 19	1/2 " Socket Size mm L.83mm	4018754007172
03240208	51S 20,8	1/2 " Socket Size mm/" L.83mm	4018754007196

03240022

51S 22

1/2 " Socket Size mm L.83mm

4018754007189

GTIN.

