



## Fine tooth insert ratchet

**735**

Product no. **58250065**  
GTIN **4018754208784**  
Model **735/40HD**

### Label.

Fine-tooth ratchet insert tool Drive 3/4 Tool holder 14 x 18

### Properties.

- for torque wrenches with interchangeable insert system
- reversible (also available as a clockwise-only ratchet on request)
- 60 teeth
- Caution! Adjust the setting on the torque wrench for size 40HD

## Benefits.

Robust and smooth-running ratchet insert adaptor for torque wrenches with a square drive.

The reversible mechanism allows quick direction changes without having to change the plug - optimal for frequently changing screw directions.

Made from durable Chrome Alloy Steel and additionally chrome-plated for maximum durability and wear protection.

60 teeth enable a working angle of only 6° - for efficient working in confined spaces, e.g. in the engine compartment.

The integrated ball lock ensures that the socket wrench remains in place even at high torques.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### **Quick change of direction.**

Our ratchet insert adaptor is equipped with a finely tuned switch plate for lightning-fast direction change. Unlike conventional lever mechanisms, the rotating wheel prevents accidental adjustment - even in confined spaces or when working with gloves.



PRODUCT IMAGE  
IN PROGRESS

### **Full precision in a minimum of space.**

The high-quality fine toothing with 60 teeth allows a working angle of only 6°. This allows you to work in a controlled and efficient manner - even where there is hardly any space for tool movement. Ideal for precise bolted joints in tight installation conditions.



PRODUCT IMAGE  
IN PROGRESS

### **High work safety.**

The square drive allows the ratchet to be quickly and easily adapted to different applications and situations. The integrated ball lock ensures that the socket wrench remains securely in place even at high torques.




PRODUCT IMAGE  
IN PROGRESS

### **High quality.**

The tool is forged from high-quality Chrome Alloy Steel, which gives it high stability and resistance even in continuous use. It is also chrome-plated for corrosion resistance.

Technical drawing.



Technical attributes.

External square drive (inch)	3/4
Working angle	6 °
Width mm (b)	58 mm
Size	40HD
Tool holder size [internal square]	14 x 18 mm
Height mm (h)	36 mm
max. torque	650 N·m
S	30 mm

Logistics data.

Depth mm (IFS)	130
Width mm (IFS)	100
Height mm (IFS)	65
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	130
Width (packaged, mm)	100
Height (packaging, mm)	65
Volume (packaged, dm3)	0.845 dm3
Product no.	58250065
Weight (gross, kg)	0,730
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
GTIN	4018754208784
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	725 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
58250004	735/4	Fine-tooth ratchet insert tool Drive 1/4 Tool holder9 x 12	4018754334735
58250005	735/5	Fine-tooth ratchet insert tool Drive 3/8 Tool holder9 x 12	4018754034512

58250010	735/10	Fine-tooth ratchet insert tool Drive 1/2 Tool holder9 x 12	4018754034529
58250020	735/20	Fine-tooth ratchet insert tool Drive 1/2 Tool holder14 x 18	4018754034536
58250040	735/40	Fine-tooth ratchet insert tool Drive 3/4 Tool holder14 x 18	4018754034543
58250065	735/40HD	Fine-tooth ratchet insert tool Drive 3/4 Tool holder14 x 18	4018754208784
58251065	735/65	Fine-tooth ratchet insert tool Drive 3/4 Tool holder22 x 28	4018754243785

## GTIN.



## Spare part(s), spare part(s) for.



59251065

Set of spare parts

STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal