

Double ended ring spanners i.TCS inlay

TCS StahlwilleSTABIL® 20/8 6x7-19x22MF

Product no. **96830356**
GTIN **4018754175277**
Model **StahlwilleSTABIL® TCS 20/8**



Label. Double ended ring spanners i.TCS inlay TCS StahlwilleSTABIL® 20/8 6x7-19x22MF 8 pcs.

Properties.

- 175 x 350 x 45 mm
- 8-piece set

Benefits.

High quality double-ended ring spanner, low-crank, in metric sizes.

The AS-Drive profile prevents damage to the fastener caused by force being applied to the edges of the nut or bolt.

In the modular Tool Control System (TCS) tool inlays - an intelligent storage solution for tool and workshop trolleys.

A special manufacturing process makes thin-walled rings possible - primarily for slightly lower-lying screw connections.

The distinctive STAHLWILLE rounded finish ensures the combination spanner is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

Product highlights.



**PRODUCT IMAGE
IN PROGRESS**

Order and check.

The set is securely organised in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



Double-T profile


Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

Technical drawing.



Technical attributes.

Number of tools	8 pcs.
Range	6x7-19x22
Width mm (b)	175 mm
Height mm (h)	45 mm
Contents	6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 21; 19 x 22 mm

Logistics data.

Depth mm (IFS)	365
Width mm (IFS)	185
Height mm (IFS)	80
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	365
Width (packaged, mm)	185

Length mm (L)	350 mm	Height (packaging, mm)	80
Alloy	Chrome Alloy Steel	Volume (packaged, dm3)	5.402 dm3
Surface	chrome-plated	Product no.	96830356
Drawer dividers	1/3	Weight (gross, kg)	1,411
		Weight PAP (kg)	0,138
		Weight PVC (kg)	0,000
		GTIN	4018754175277
		Country of origin AWR	GERMANY
		Region of origin	Nordrhein-Westfalen
		Customs tariff no.	82041100
		Packing standard	1
		Weight (g)	1323 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
96830356	StahlwilleSTABIL® TCS 20/8	Double ended ring spanners i.TCS inlay TCS StahlwilleSTABIL® 20/8 6x7-19x22MF 8 pcs.	4018754175277

GTIN.

