



Uniflex sockets spline-drive

402aSP

Product no. **01542020**
GTIN **4018754170883**
Model **402aSP 5/16 Spline**



Label. 1/4 " Uniflex sockets spline-drive L.38mm

Properties.

- for external Spline-Drive screws
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated
- MS-33787 / MIL-W-8982


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	Spline-Drive
Square drive inner (inch)	1/4 "
d1	11,6 mm
d2	12,7 mm
d3	7,1 mm
Size drive profile	10
Length mm (L)	38 mm
Size [inch]	5/16 "
t1	8 mm
t2	13 mm

Logistics data.

Depth mm (IFS)	38
Width mm (IFS)	14
Height mm (IFS)	14
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	70
Width (packaged, mm)	50
Height (packaging, mm)	14
Volume (packaged, dm3)	0.049 dm3
Product no.	01542020
Weight (gross, kg)	0,094
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754170883
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	5
Weight (g)	18 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
01542016	402aSP 1/4 Spline	1/4 " Uniflex sockets spline-drive L.32mm	4018754170876
01542020	402aSP 5/16 Spline	1/4 " Uniflex sockets spline-drive L.38mm	4018754170883

GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal