



Sockets spline-drive

40aLSP



Product no. **01021008**
GTIN **4018754109135**
Model **40aLSP 1/4 Spline**



Label. 1/4 " Sockets spline-drive Size 1/4" L.50.8mm

Properties.

- long version, deep drilled
- for external Spline-Drive screws
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated
- MS-33787 / MIL-W-8982


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	Spline-Drive
Square drive inner (inch)	1/4 "
d1	9,5 mm
d2	10,7 mm
d3	5,6 mm
Size drive profile	8
Length mm (L)	50,8 mm
Size [inch]	1/4 "
t1	8 mm
t2	42,8 mm

Logistics data.

Depth mm (IFS)	51
Width mm (IFS)	11
Height mm (IFS)	11
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	51
Width (packaged, mm)	11
Height (packaging, mm)	11
Volume (packaged, dm3)	0.006171 dm3
Product no.	01021008
Weight (gross, kg)	0,240
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754109135
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	10
Weight (g)	24 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
01021007	40aLSP 7/32 Spline	1/4 " Sockets spline-drive Size 7/32" L.50.8mm	4018754170852
01021008	40aLSP 1/4 Spline	1/4 " Sockets spline-drive Size 1/4" L.50.8mm	4018754109135
01021010	40aLSP 5/16 Spline	1/4 " Sockets spline-drive Size 5/16" L.50.8mm	4018754170869

GTIN.

