



Spark plug socket 3/8", with rubber insert, bi-hex

4606

Product no. **02130018**
GTIN **4018754003228**
Model **4606**



Label. 3/8 " Spark plug socket Size 18mm L.65mm

Properties.

- long version, with rubber insert
- hex with AS-Drive profile
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	hex AS-Drive
Square drive inner (inch)	3/8 "
d1	24,2 mm
d2	22 mm
Length mm (L)	65 mm
Size [mm]	18 mm
Size [inch]	11/16 "
t1	18 mm
t2	52,8 mm

Logistics data.

Depth mm (IFS)	65
Width mm (IFS)	25
Height mm (IFS)	25
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	125
Width (packaged, mm)	70
Height (packaging, mm)	50
Volume (packaged, dm3)	0.4375 dm3
Product no.	02130018
Weight (gross, kg)	1,320
Weight PAP (kg)	0,000
Weight PVC (kg)	0,008
GTIN	4018754003228
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	10
Weight (g)	132 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
02130018	4606	3/8 " Spark plug socket Size 18mm L.65mm	4018754003228

GTIN.

