



Combination spanners, metric

4014



Product no. **40147575**
GTIN **4018754226481**
Model **4014 75**



Label.

Combination spanner Size 75 mm L.810mm

Properties.

- **metric, identical** end sizes
- jaw angled 15°
- ring with bi-hex
- ring-end cranked 10°
- Chrome Alloy Steel, chrome-plated

Product highlights.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.

Technologies and features.



Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



Technical drawing.



Technical attributes.

a1	26 mm
a2	38 mm
Width mm (b)	153 mm
d	110 mm
DIN	DIN 3113 Form A
Length mm (L)	810 mm
Alloy	Chrome Vanadium Steel
Jaws angled	10 °
Surface	chrome-plated
Size 1 [mm]	75 mm
Ring position	10 °
Size 2 [mm]	75 mm
t	57,5 mm

Logistics data.

Depth mm (IFS)	810
Width mm (IFS)	150
Height mm (IFS)	55
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	810
Width (packaged, mm)	150
Height (packaging, mm)	55
Volume (packaged, dm3)	6.6825 dm3
Product no.	40147575
Weight (gross, kg)	6,500
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
GTIN	4018754226481
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	6500 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
40146565	4014 65	Combination spanner Size 65 mm L.710mm	4018754226467
40147070	4014 70	Combination spanner Size 70 mm L.760mm	4018754226474
40147575	4014 75	Combination spanner Size 75 mm L.810mm	4018754226481

40148080

4014 80

Combination spanner Size 80 mm L.860mm

4018754226498

GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal