



Friction gauge

73Nm/15



Product no. **50240015**
GTIN **4018754163830**
Model **73 NM/15**



Label.

Friction gauge 73Nm/15 2-15N·m 1/2" L. 298.5mm

Properties.

- indicating type
- drag indicator dial gauge
- with built-in square for clockwise measurements
- no 'blinking cursor' during the measurement process
- weight reduction through use of aluminium inserts
- calibration certificate in accordance with DIN EN ISO 6789-2:2017
- **accuracy $\pm 4\%$**

Technologies and features.



DIN EN ISO 6789-2

Our torque wrenches and torque screwdrivers are professionally calibrated in accordance with DIN EN ISO 6789-2 and delivered with a corresponding calibration certificate. We also calibrate the torque and angle wrenches in accordance with VDI 2648-2. This ensures the accuracy and traceability of our tools.

Technical drawing.



Technical attributes.

Scale division N·m	0,5 N·m
Measuring range N·m	2-15 N·m
External square drive (inch)	1/2
Width mm (b)	72 mm
DIN	DIN EN ISO 6789-2:2017
Height mm (h)	50 mm
Length mm (L)	298,5 mm
LF	250 mm
MA N·m	2 N·m
Nominal value N·m	15 N·m

Logistics data.

Depth mm (IFS)	305
Width mm (IFS)	105
Height mm (IFS)	65
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	305
Width (packaged, mm)	105
Height (packaging, mm)	65
Volume (packaged, dm3)	2.081625 dm3
Product no.	50240015
Weight (gross, kg)	0,676
Weight PAP (kg)	0,096
Weight PVC (kg)	0,000
GTIN	4018754163830
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	676 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
50240015	73 NM/15	Friction gauge 73Nm/15 2-15N·m 1/2" L. 298.5mm	4018754163830

GTIN.

