





Line Maintenance set, 163-pieces

TCS 13214a WW

Product no. **97830802**
GTIN **4018754196388**
Model **13214a WW**



Label.

Tool assortment TCS 13214a WW 163 pcs.

Properties.

- for maintenance work on aircraft and helicopters
- 4 x 3/3 inserts for 4 drawers (No. 98 PRO for 2 drawers)
- suitable for workbenches No. WB 621, WB 625; Tool trolley No. 93, 95 PRO, 98 PRO
- safely integrated in the modular Tool Control System (TCS)

Contains 163-pieces:

96830885

23 combination spanners **No. 13a**: 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8"

1 adjustable spanner **No. 4025**: max. 24 mm

96830886

10 sockets with bi-hex 1/4" **No. 40aD**: 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"

10 sockets long, with bi-hex 1/4" **No. 40aDL**: 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"

5 unifix sockets with bi-hex 1/4" **No. 402a**: 1/4; 5/16; 3/8; 7/16; 1/2"

1 QuickRelease universal joint 1/4" **No. 407QR**: L. 38 mm

2 QuickRelease extensions 1/4" **No. 408QR**: L. 55; 150 mm

1 square drive adaptor **No. 409M**: 1/4 to 3/8"

1 drive handle 1/4" **No. 400N**: L. 150 mm

1 QuickRelease fine-tooth ratchet 1/4" **No. 415QR N**: L. 117 mm

1 bit fine-tooth ratchet 1/4" **No. 415SGB N**: L. 117 mm

1 bit holder 1/4" **No. 412**: L. 25 mm

8 sockets with bi-hex 3/8" **No. 45a**: 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 15/16; 1"

4 sockets long, with bi-hex 3/8" **No. 46a**: 5/8; 11/16; 3/4; 7/8"

2 QuickRelease extensions 3/8" **No. 426QR**: L. 75; 240 mm

1 QuickRelease universal joint 3/8" **No. 428QR**: L. 46 mm

1 square drive adaptor **No. 431**: 3/8 to 1/4"

1 square drive adaptor **No. 432M**: 3/8 to 1/2"

1 QuickRelease speeder brace 3/8" **No. 453QR**: L. 408 mm

1 QuickRelease fine-tooth ratchet 3/8" **No. 435QR N**: L. 193 mm

1 bit holder 3/8" **No. 443**: L. 32 mm
1 bit ratchet screwdriver **No. 4008**: L. 250 mm
6 combination ratchet spanners **No. 17a**: 1/4; 5/16; 3/8; 7/16; 1/2; 9/16"
1 bit box **No. 1208**: 1 quick-change holder 1/4" | L. 25 mm: SL4,5;6,5;8 mm | PH1;2;3
(2x) | T6;15;20 | T-SET 4;6;8;10 (2x) | INHEX
5/64;9/64;1/8;3/16;5/32;7/64;3/32;7/32" | Adaptor 1/4" 4KT/6KT | 30-pieces

96830887

2 slotted screwdrivers **No. 4622**: 1.0 x 5.5 x 100; 1.2 x 8.0 x 150 mm
3 PH cross-head screwdrivers **No. 4632**: PH1; PH2; PH3
1 combination pliers **No. 6700**: L. 160 mm
1 telephone pliers **No. 6731**: L. 200 mm
1 self-grip wrench **No. 6564**: L. 175 mm
1 water pump pliers **No. 6572**: L. 240 mm
1 wire twisting pliers **No. 6575**: L. 230 mm
1 electronic's side cutters **No. 6707**: L. 115 mm
1 hook tool **No. 13001**: angled 45°
1 split pin puller **No. 13009**: L. 265 mm
1 torch **No. 13128**: 320 lm
1 round awl **No. 10758-2K**: L. 175 mm
1 ball-ended L-Key set hex **No. 10767a/13**: 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64;
5/32; 3/16; 7/32; 1/4; 5/16; 3/8"

96830888

4 pin punches **No. 109**: Ø 1.4; 2.8; 3.4; 3.9 mm
1 engineer's hammer **No. 10961**: 500 g
1 dead blow hammer **No. 10959**: Ø 35 mm
1 precision feeler gauge, 20 blades **No. 11095**: 0.05-1 mm
4 plastic scrapers **No. 10678**: medium blade, **No. 10679**: narrow blade, **No. 10680**:
slanted blade, **No. 10681**: sharp blade
1 cable knife **No. 12320**: Blade length: 90 mm
1 tape measure **No. 12935**: L. 3 m
1 scribe **No. 12321**: L. 250 mm
1 brass punch **No. 12495**: L. 200 mm
1 magnet lifter **No. 12601**: 500 g
1 caliper **No. 12900**: Measuring range: 150 mm/6"
1 tyre-tread caliper **No. 12900**: Measuring range: 0-30 mm
1 telescopic mirror **No. 12921M**: Ø 57 mm
1 claw lifter **No. 12922**: Ø 6 mm
1 steel ruler **No. 13110**: L. 300 mm

Benefits.

For maintenance work on aircraft and helicopters.

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.



Foreign Object Damage

STAHLWILLE protects against FOD (Foreign Object Damage). Our tool is ideal for safety-relevant sectors such as aviation, thanks to the screwless design.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

Technical attributes.

Number of tools 163 pcs.

Logistics data.

Depth mm (IFS)	800
Width mm (IFS)	600
Height mm (IFS)	230
WEEE/ElektroG	Kleingeräte B2C
Length (packaged, mm)	800
Width (packaged, mm)	600
Height (packaging, mm)	230
Volume (packaged, dm ³)	110.4 dm ³
Product no.	97830802

Weight (gross, kg)	18,500
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
GTIN	4018754196388
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82060000
Packing standard	1
Weight (g)	18500 g



Variants.

Product no.	Model No. (ERP)	Description	GTIN
97830802	13214a WW	Tool assortment TCS 13214a WW 163 pcs.	4018754196388

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal