



VDE slotted screwdrivers DRALL+

4661 VDE



Product no. **46613035**
GTIN **4018754338092**
Model **DRALL+ 4661 VDE 3,5**



Label.

VDE slotted screwdriver DRALL+ 0,6mm x 3.5mm L.100mm

Properties.

- for slotted screws
- reduced blade diameter to reach deep joints
- blade with integrated protective insulation
- VDE insulated up to 1,000 V
- protective insulation according to IEC 60900-AC 1,000 V / DC 1,500 V
- gunmetal finished blade tip
- 3-component handle with laser marking
- Chrome Alloy Steel


Technologies and features.



3-component handle

Our 3-component handle combines hard, soft and special fibre-coated components, which give it its optimised ergonomics, maximum power transmission, and increased safety during daily use.

Technical drawing.



Technical attributes.

a	0,6 mm
Drive profile	slotted
Width mm (b)	3,5 mm
DIN	DIN EN 60900
Size	3
L1	100 mm
L2	205 mm

Logistics data.

Depth mm (IFS)	203
Width mm (IFS)	25
Height mm (IFS)	25
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	205
Width (packaged, mm)	110
Height (packaging, mm)	62
Volume (packaged, dm3)	1.3981 dm3
Product no.	46613035
Weight (gross, kg)	0,484
Weight PAP (kg)	0,082
Weight PVC (kg)	0,000
GTIN	4018754338092
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82054000
Packing standard	10
Weight (g)	51 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
46613035	DRALL+ 4661 VDE 3,5	VDE slotted screwdriver DRALL+ 0,6mm x 3.5mm L.100mm	4018754338092
46613040	DRALL+ 4661 VDE 4	VDE slotted screwdriver DRALL+ 0,8mm x 4mm L.100mm	4018754338108
46613055	DRALL+ 4661 VDE 5,5	VDE slotted screwdriver DRALL+ 1,0mm x 5.5mm L.125mm	4018754338115
46613065	DRALL+ 4661 VDE 6,5	VDE slotted screwdriver DRALL+ 1,5mm x 6.5mm L.150mm	4018754338122

GTIN.

