



TORX® sockets 1/2"

50TX

Product no. **03270024**
GTIN **4018754007325**
Model **50TX E24 TORX®**



Label. 1/2 " Socket L.41.2mm

Properties.

- for external TORX® screws
- 1/2" internal square drive
- HPQ® high performance steel, chrome-plated

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size drive profile	E24
Square drive inner (inch)	1/2 "
Length mm (L)	41,2 mm
Drive profile	TORX®
d1	27,8 mm
d2	26 mm
d3	14,1 mm
t1	17,5 mm
t2	23,6 mm

Logistics data.

Product no.	03270024
GTIN	4018754007325
Weight (g)	123 g
Volume (packaged, dm3)	0.68 dm3
Packing standard	10
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	42
Width mm (IFS)	29
Height mm (IFS)	29
Weight (gross, kg)	1,195
Weight PAP (kg)	0,000
Weight PVC (kg)	0,006
Length (packaged, mm)	170
Width (packaged, mm)	80
Height (packaging, mm)	50

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal