

Sockets 1/2" imperial, long

51a



Product no. **03420032**
GTIN **4018754008025**
Model **51a 1/2**



Label. 1/2 " Socket Size 1/2" L.83mm

- Properties.**
- long version
 - bi-hex with AS-Drive profile
 - 1/2" internal square drive
 - HPQ® high performance steel, chrome-plated
 - ASME B 107.1 / Fed. Spec. GGG-W-641 / SAE AS 954-E


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

| | |
|---------------------------|-----------------|
| Size [inch] | 1/2 " |
| Square drive inner (inch) | 1/2 " |
| Length mm (L) | 83 mm |
| Drive profile | bi-hex AS-Drive |
| d1 | 18,3 mm |
| d2 | 22 mm |
| d3 | 11,5 mm |
| t1 | 35 mm |
| t2 | 67 mm |

Logistics data.

| | |
|------------------------|---------------------|
| Product no. | 03420032 |
| GTIN | 4018754008025 |
| Weight (g) | 122 g |
| Volume (packaged, dm3) | 0.2484 dm3 |
| Packing standard | 5 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Depth mm (IFS) | 83 |
| Width mm (IFS) | 23 |
| Height mm (IFS) | 23 |
| Weight (gross, kg) | 0,525 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,006 |
| Length (packaged, mm) | 115 |
| Width (packaged, mm) | 90 |
| Height (packaging, mm) | 24 |

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal