



Sockets 3/4", metric

55

Product no. **05010034**
GTIN **4018754008803**
Model **55 34**



Label. 3/4 " Socket Size 34mm L.60mm

Properties.

- hex with AS-Drive profile
- 3/4" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124 / ISO 2725-1 / ASME B 107.5 M

Benefits.

Made in Germany - STAHlwILLE 3/4 " Sockets 3/4", metric 34 mm Length 60 mm.

Product-specific forming - forged or cold-extruded - ensures exceptional strength and durability.

hex AS-Drive, HPQ® high performance steel, chrome-plated.

Extremely resilient, exceptionally durable.


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	34 mm
Square drive inner (inch)	3/4 "
Length mm (L)	60 mm
Drive profile	hex AS-Drive
d1	47 mm
d2	40 mm
d3	31 mm
DIN	DIN 3124 / ISO 2725-1, ASME B 107.5 M
t1	24 mm
t2	34,4 mm

Logistics data.

Product no.	05010034
GTIN	4018754008803
Weight (g)	363 g
Volume (packaged, dm3)	0.35 dm3
Packing standard	2
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	60
Width mm (IFS)	47
Height mm (IFS)	47
Weight (gross, kg)	0,730
Weight PAP (kg)	0,000
Weight PVC (kg)	0,007
Length (packaged, mm)	100
Width (packaged, mm)	70
Height (packaging, mm)	50

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal