

## Torque wrenches Service MANOSKOP® (N·m)

### 730 Quick



Product no. **50184004**  
GTIN **4018754292660**  
Model **730/4 QUICK**



**Label.** MANOSKOP® torque wrench 730 Quick 8-40N·m 9 x 12 mm L. 223mm

#### Properties.

- clicking type with dual stop signal
- no reset to "0" required
- the measuring element is only under load when a force is applied.
- mount for interchangeable insert tools
- with QuickRelease safety lock
- non-slip adjuster with thumb recess for quick torque adjustment
- fine, tapered pointers
- counter-clockwise tightening by turning the insert tool over
- clicking mechanism insensitive to continuous loads and counter-loads (up to the max. measurement range of the torque wrench)
- optimal calibration with perfectControl® calibration systems No. 7794 or calibration systems No. 7706, 7791
- easy adjustment without disassembly via 2 external adjustment screws
- with 2-component handle
- calibration certificate in accordance with DIN EN ISO 6789-2:2017
- **accuracy ± 4%**



## Product highlights.



### Rapid adjustment.


Easy and quick adjustment of the torque is carried out by an easy-to-operate clamping lever in the handle. The scale can be moved quickly and safely with an ergonomically shaped, non-slip adjustment element with thumb recess.



### Adjustment does not require disassembly.

Quick adjustment from outside, no disassembly of the torque wrench required, with 2 adjustment points for the maximum & minimum values.


## Technologies and features.



### QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

## Technical drawing.



## Technical attributes.

|                                    |           |
|------------------------------------|-----------|
| Size                               | 4         |
| Tool holder size [internal square] | 9 x 12 mm |
| Measuring range N·m                | 8-40 N·m  |
| Scale division N·m                 | 1 N·m     |
| Length mm (L)                      | 223 mm    |
| Width mm (b)                       | 27,5 mm   |
| Height mm (h)                      | 23,6 mm   |
| LF                                 | 200,8 mm  |
| SF                                 | 17,5 mm   |

## Logistics data.

|                                     |                          |
|-------------------------------------|--------------------------|
| Product no.                         | 50184004                 |
| GTIN                                | 4018754292660            |
| Weight (g)                          | 395 g                    |
| Volume (packaged, dm <sup>3</sup> ) | 0.771375 dm <sup>3</sup> |
| Packing standard                    | 1                        |
| WEEE/ElektroG                       | nicht ear-pflichtig      |
| Customs tariff no.                  | 82041100                 |
| Country of origin AWR               | GERMANY                  |
| Region of origin                    | Nordrhein-Westfalen      |
| Depth mm (IFS)                      | 225                      |
| Width mm (IFS)                      | 43                       |
| Height mm (IFS)                     | 30                       |
| Weight (gross, kg)                  | 0,478                    |
| Weight PAP (kg)                     | 0,000                    |
| Weight PVC (kg)                     | 0,066                    |
| Length (packaged, mm)               | 255                      |
| Width (packaged, mm)                | 55                       |
| Height (packaging, mm)              | 55                       |

## GTIN.



## Accessories (for).



58253004  
QuickRelease ratchet  
insert tool

## Spare part(s), spare part(s) for.



92057436  
Handle

**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal