



## Combination spanner set OPEN BOX, metric

### OPEN BOX 16/5



Product no.	96400902
GTIN	4018754080694
Model	OPEN BOX 16/5



#### Label.

Combination spanner set OPEN BOX 16/5 3,2-5 5 pcs.

#### Properties.

- **metric, identical** end sizes
- ring-end cranked 15°, jaw angled 15°
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A
- in robust polyester roll-up tool pouch with hook-and-loop fastener
- mesh inserts allow visibility of the tools
- a compact storage solution to keep your tools safe
- embroidered STAHLWILLE logo

#### Contains 5-pieces:

5 combination spanners **No. 16**: 3.2; 3.5; 4; 4.5; 5 mm

## Benefits.

High-quality 5 pcs.-piece combination spanner set in metric sizes.

The practical textile case offers a well-organised storage solution.

The compact design makes it ideal for use in precision mechanics, model making or for screwdriving work on bicycles.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



### A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.



PRODUCT IMAGE  
IN PROGRESS

### Store in textile bag.

The set comes in a handy textile bag that makes it easy to carry with you anywhere while also saving space. The bag has transparent mesh inserts that allow you to quickly see whether the tool set is complete.



### Organised storage.


The set is stored in the pockets of a practical roll-up tool pouch. This makes it convenient and space-saving to carry around. Transparent mesh inserts allow you to see at a glance whether your tools are complete.

## Technologies and features.




### Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the screw head.



### Double-T profile

Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings


The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

## Technical drawing.



## Technical attributes.

Contents	3.2; 3.5; 4; 4.5; 5 mm
Model No.	16/5
Jaws angled	15 °
Range	3,2-5
DIN	DIN 3113 Form B / ISO 7738 Form B
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Number of tools	5 pcs.

## Logistics data.

Product no.	96400902
GTIN	4018754080694
Weight (g)	46 g
Volume (packaged, dm <sup>3</sup> )	0.186875 dm <sup>3</sup>
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Packaging	in robust roll-up tool pouch

Depth mm (IFS)	106
Width mm (IFS)	60
Height mm (IFS)	4
Weight (gross, kg)	0,060
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
Length (packaged, mm)	115
Width (packaged, mm)	65
Height (packaging, mm)	25

## Parts list.



40093232  
Combination spanner

40093535  
Combination spanner

40094040  
Combination spanner

40094545  
Combination spanner



40095050  
Combination spanner

## GTIN.



## Images.





**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal