

Sockets 1/4", metric, long

40L



Product no. **01020013**
GTIN **4018754000272**
Model **40L 13**



Label. 1/4 " Socket Size 13mm L.50mm

Properties.

- long version
- hex with AS-Drive profile
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124/ISO 2725-1 / ASME B 107.5M / DIN EN 3710 / DIN EN 3709


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

| | |
|---------------------------|--|
| Size [mm] | 13 mm |
| Square drive inner (inch) | 1/4 " |
| Length mm (L) | 50 mm |
| Drive profile | hex AS-Drive |
| d1 | 17,8 mm |
| d2 | 17,8 mm |
| d3 | 12 mm |
| DIN | DIN 3124 / ISO 2725-1, ASME B 107.5M, DIN EN 3710, DIN EN 3709 |
| t1 | 12 mm |
| t2 | 41 mm |

Logistics data.

| | |
|------------------------|---------------------|
| Product no. | 01020013 |
| GTIN | 4018754000272 |
| Weight (g) | 56 g |
| Volume (packaged, dm3) | 0.16524 dm3 |
| Packing standard | 10 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Depth mm (IFS) | 50 |
| Width mm (IFS) | 18 |
| Height mm (IFS) | 18 |
| Weight (gross, kg) | 0,565 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,004 |
| Length (packaged, mm) | 90 |
| Width (packaged, mm) | 51 |
| Height (packaging, mm) | 36 |

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal