



## Combination ratchet spanner sets OPEN RATCH, flat, metric, in roll-up tool pouch

17F/5

Product no. 96401705  
GTIN 4018754325979  
Model OPEN RATCH 17F/5



### Label.

Combination ratchet spanner set OPEN RATCH 17F/5 8-19 5 pcs.

### Properties.

- **metric, identical** end sizes
- flat version
- jaw angled 15°
- ring with bi-hex
- integrated ratchet with 72 teeth, with a working angle of 5°
- change direction by flipping the spanner over
- reinforced connection between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- in robust polyester roll-up tool pouch with hook-and-loop fastener
- mesh inserts allow visibility of the tools
- a compact storage solution to keep your tools safe
- embroidered STAHLWILLE logo

### Benefits.

High-quality combination ratcheting spanner set in metric sizes.

The flat design makes it easier to work in tight spaces.

In a space-saving tool roll for safe and well-organised storage.

The integrated ratchet with 72 teeth makes it possible to ratchet at an angle of just 5°.

The distinctive STAHLWILLE rounded finish ensures the combination ratcheting spanner is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.



## Product highlights.



### Set for tight installation spaces.

Our ratcheting combination spanner set contains the most common spanner sizes from 8 to 19 mm and therefore covers a wide range of possible applications. The flat design makes it much easier to screw in confined spaces.



### Excellent workmanship.

Our spanners are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



### Non-slip surface.


The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



### Organised storage.

The set is stored in the pockets of a practical roll-up tool pouch. This makes it convenient and space-saving to carry around. Transparent mesh inserts allow you to see at a glance whether your tools are complete.

## Technologies and features.



### Double-T profile


Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

### Technical drawing.



### Technical attributes.

Contents	8; 10; 13; 17; 19 mm
Model No.	17F/5
Range	8-19
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Number of tools	5 pcs.

### Logistics data.

Product no.	96401705
GTIN	4018754325979
Weight (g)	744 g
Volume (packaged, dm <sup>3</sup> )	0.5985 dm <sup>3</sup>
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Country of origin AWR	TAIWAN
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	285
Width mm (IFS)	70
Height mm (IFS)	30
Weight (gross, kg)	0,744
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
Length (packaged, mm)	285
Width (packaged, mm)	70
Height (packaging, mm)	30

## Parts list.



40170808  
Combination ratchet  
spanner



40171010  
Combination ratchet  
spanner



40171313  
Combination ratchet  
spanner



40171717  
Combination ratchet  
spanner



40171919  
Combination ratchet  
spanner

## GTIN.



4 018754 325979

## Images.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal