STAHLWILLE®

# Uniflex sockets 1/4", imperial, short

## 402aK

| | |
|---|---|
| Product no. | **01541024** |
| GTIN | **4018754150243** |
| Model | **402aK 3/8** |

**Label.** 1/4 " Uniflex sockets Size 3/8" L.34mm

**Properties.**

- extra short version
- bi-hex with AS-Drive profile
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated

## Technologies and features.

**High Performance Quality (HPQ®)**
Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.




## Technical attributes.

| | |
|---|---|
| **Size [inch]** | 3/8 " |
| **Square drive inner (inch)** | 1/4 " |
| **Length mm (L)** | 34 mm |
| **Drive profile** | bi-hex AS-Drive |
| **d1** | 13,6 mm |
| **d2** | 12,7 mm |
| **d3** | 6,7 mm |
| **t1** | 9,1 mm |
| **t2** | 12,0 mm |

## Logistics data.

| | |
|---|---|
| **Product no.** | 01541024 |
| **GTIN** | 4018754150243 |
| **Weight (g)** | 19 g |
| **Volume (packaged, dm3)** | 0.084 dm3 |
| **Packing standard** | 5 |
| **WEEE/ElektroG** | nicht ear-pflichtig |
| **Customs tariff no.** | 82042000 |
| **Country of origin AWR** | GERMANY |
| **Region of origin** | Nordrhein-Westfalen |
| **Depth mm (IFS)** | 34 |
| **Width mm (IFS)** | 13 |
| **Height mm (IFS)** | 13 |
| **Weight (gross, kg)** | 0,098 |
| **Weight PAP (kg)** | 0,000 |
| **Weight PVC (kg)** | 0,002 |
| **Length (packaged, mm)** | 100 |
| **Width (packaged, mm)** | 60 |
| **Height (packaging, mm)** | 14 |

## GTIN.

4 018754 150243

**STAHLWILLE Eduard Wille GmbH**
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal