

Friction gauge

73Nm/15



Product no. **50240015**
GTIN **4018754163830**
Model **73 NM/15**



Label. Friction gauge 73Nm/15 2-15N·m 1/2" L. 298.5mm

- Properties.**
- indicating type
 - drag indicator dial gauge
 - with built-in square for clockwise measurements
 - no 'blinking cursor' during the measurement process
 - weight reduction through use of aluminium inserts
 - calibration certificate in accordance with DIN EN ISO 6789-2:2017
 - **accuracy $\pm 4\%$**


Technologies and features.



DIN EN ISO 6789-2

Our torque wrenches and torque screwdrivers are professionally calibrated in accordance with DIN EN ISO 6789-2 and delivered with a corresponding calibration certificate. We also calibrate angle-controlled torque wrenches in accordance with VDI 2648-2. This ensures the accuracy and traceability of our tools.

Technical drawing.



Technical attributes.

Measuring range N·m	2-15 N·m
MA N·m	2 N·m
Nominal value N·m	15 N·m
Scale division N·m	0,5 N·m
External square drive (inch)	1/2
Length mm (L)	298,5 mm
Width mm (b)	72 mm
Height mm (h)	50 mm
DIN	DIN EN ISO 6789-2:2017
LF	250 mm

Logistics data.

Product no.	50240015
GTIN	4018754163830
Weight (g)	676 g
Volume (packaged, dm ³)	2.081625 dm ³
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	305
Width mm (IFS)	105
Height mm (IFS)	65
Weight (gross, kg)	0,676
Weight PAP (kg)	0,096
Weight PVC (kg)	0,000
Length (packaged, mm)	305
Width (packaged, mm)	105
Height (packaging, mm)	65

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal