



Crowing spanners, metric

440S MJ

Product no.	02211030
GTIN	4018754179770
Model	440S MJ30



Label.

3/8 " Crowing spanner MJ30 External pipe dia. DN20mm Drive 3/8 " L.60.8mm

Properties.

- for pipe fittings, with straight cylindrical involute toothing
- EN 4108
- HPQ® high performance steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Square drive inner (inch)	3/8 "
Length mm (L)	60,8 mm
Width mm (b)	50 mm
a	10 mm
Nut threads	MJ30
Pipe diameter external (mm)	DN20 mm
S	36 mm
W	23,7 mm

Logistics data.

Product no.	02211030
GTIN	4018754179770
Weight (g)	93 g
Volume (packaged, dm3)	0.105 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	100
Width mm (IFS)	70
Height mm (IFS)	15
Weight (gross, kg)	0,093
Weight PAP (kg)	0,000
Weight PVC (kg)	0,003
Length (packaged, mm)	100
Width (packaged, mm)	70
Height (packaging, mm)	15

GTIN.



