

Sockets 1/2", metric, long

51



Product no. **03020021**
GTIN **4018754005642**
Model **51 21**



Label. 1/2 " Socket Size 21mm L.83mm

- Properties.**
- long version
 - bi-hex with AS-Drive profile
 - 1/2" internal square drive
 - size 16 mm-5/8", 20.8 mm-13/16": with rubber insert for spark plugs
 - HPQ® high performance steel, chrome-plated
 - DIN 3124 / ISO 2725-1 / DIN EN 3710 / DIN EN 3709 / ASME B 107.5M


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

| | |
|---------------------------|--|
| Size [mm] | 21 mm |
| Square drive inner (inch) | 1/2 " |
| Length mm (L) | 83 mm |
| Drive profile | bi-hex AS-Drive |
| d1 | 28,7 mm |
| d2 | 26,5 mm |
| d3 | 20 mm |
| DIN | DIN 3124 / ISO 2725-1, DIN EN 3710, DIN EN 3709, ASME B 107.5M |
| t1 | 35 mm |
| t2 | 66,2 mm |

Logistics data.

| | |
|------------------------|---------------------|
| Product no. | 03020021 |
| GTIN | 4018754005642 |
| Weight (g) | 231 g |
| Volume (packaged, dm3) | 0.78057 dm3 |
| Packing standard | 10 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Depth mm (IFS) | 83 |
| Width mm (IFS) | 29 |
| Height mm (IFS) | 29 |
| Weight (gross, kg) | 1,933 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,011 |
| Length (packaged, mm) | 147 |
| Width (packaged, mm) | 90 |
| Height (packaging, mm) | 59 |

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal