

## Extensions 1/2"

509



Product no. **13010004**  
GTIN **4018754013005**  
Model **509/3**

**Label.** 1/2 " Extension L.75mm

**Properties.**

- Chrome Alloy Steel, chrome-plated
- DIN 3123 / ISO 3316 6

## Benefits.

High-quality extension for use in the workshop, DIY or industry.

The socket wrench adaptor ensures optimum power transmission even in hard-to-reach places.

The high-quality Chrome Alloy Steel construction promises a long service life.

Practical extension for hand operated sockets with 1/2" square drive and ball lock.

The extension ensures stable connections even in long threaded holes.

## Product highlights.



### A solution for every situation.

Our socket extensions are available in various versions (different output sizes, straight and bent shapes, with and without QR, imperial, with wobble drive or as a VDE version).



PRODUCT IMAGE  
IN PROGRESS

### Safe for hard-to-reach screws.

The combination of optimal working length and ball lock ensures a secure hold of the sockets. This enables high and safe power transmission in hard-to-reach places and for low-lying threaded connections, e.g. for repairs on cars and trucks.




PRODUCT IMAGE  
IN PROGRESS

### Outstanding craftsmanship.

The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and durability in continuous use. It also has a corrosion-resistant chrome-plated finish.

## Technical drawing.



## Technical attributes.

|                              |                     |
|------------------------------|---------------------|
| Size                         | 3                   |
| External square drive (inch) | 1/2                 |
| Square drive inner (inch)    | 1/2 "               |
| Length mm (L)                | 75 mm               |
| d                            | 23,2 mm             |
| DIN                          | DIN 3123 / ISO 3316 |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Product no.            | 13010004            |
| GTIN                   | 4018754013005       |
| Weight (g)             | 120 g               |
| Volume (packaged, dm3) | 0.23985 dm3         |
| Packing standard       | 5                   |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Customs tariff no.     | 82042000            |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Depth mm (IFS)         | 75                  |
| Width mm (IFS)         | 23                  |
| Height mm (IFS)        | 23                  |
| Weight (gross, kg)     | 0,620               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,003               |

Length (packaged, mm) 90

Width (packaged, mm) 65

Height (packaging, mm) 41

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal