



## Interchangeable VDE screwdriver set

### 4798 VDE

Product no. **96469511**  
GTIN **4018754253951**  
Model **DRALL+ 4798/14 VDE**



**Label.** Interchangeable VDE screwdriver set Model 4798 VDE 14 pcs.

#### Properties.

- Automatic locking to prevent unintentional removal
- VDE insulated up to 1,000 V
- protective insulation according to IEC 60900-AC 1,000 V / DC 1,500 V

#### Contains 14-pieces:

- 1 VDE 2-component reversible handle
- 1 VDE rotary cap, attachable
- 6 VDE interchangeable slotted blades: 2.5 x 0.4; 3.0 x 0.5; 3.5 x 0.6; 4.0 x 0.8; 5.5 x 1.0; 6.5 x 1.2 mm
- 2 VDE interchangeable PH cross-head blades: PH1; PH2
- 1 VDE interchangeable PZ cross-head blade: PZ2
- 3 VDE interchangeable TORX® blades: T10; T15; T20

## Benefits.

For safe and efficient work at voltages up to 1000 volts.

Application-optimised product design, high-quality materials, tight tolerances, excellent ergonomics and long service life with durable and long-lasting protective insulation.

2-component handle with soft-grip zones for precise work.

Automatic lock to prevent unintentional removal and attachable twist cap for interchangeable blades.

Robust quality tool for the professional user - Made in Germany



## Product highlights.



### Outstanding craftsmanship.

The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.

### Robust.

Whether slotted or cross-head - the rough blade tips transfer even the greatest torques to the screws - precisely and safely.



### Versatile.

The lever hole allows even more power and torque if necessary.



## Technical attributes.

Length mm (L)	229 mm
Width mm (b)	134 mm
Height mm (h)	54 mm
DIN	DIN EN 60900
Number of tools	14 pcs.

## Logistics data.

Product no.	96469511
GTIN	4018754253951
Weight (g)	814 g
Volume (packaged, dm3)	1.70775 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82054000
Country of origin AWR	GERMANY
Region of origin	Hessen
Depth mm (IFS)	229
Width mm (IFS)	134
Height mm (IFS)	54
Weight (gross, kg)	0,870
Weight PAP (kg)	0,058
Weight PVC (kg)	0,000

Length (packaged, mm)	230
Width (packaged, mm)	135
Height (packaging, mm)	55

## GTIN.



## Images.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal