



## Electronics side cutters

**6707**

Product no. **67076000**  
GTIN **4018754333196**  
Model **6707 115**



### Label.

Electronics side cutter L.115mm Header polished Handles 2-component handles

### Properties.

- for demanding work in electronics/precision mechanics
- slim head design for use in confined work areas
- remarkable cutting performance: Ø 0.6 mm for hard wire and Ø 1.5 mm for soft wire
- long service life, no play, push-through joint
- with double leaf spring for smooth movement
- extended handle cover for better slip protection
- ergonomic thumb rest for optimal handling
- cutting edges induction hardened to approx. 62 HRC
- with 2-component handles
- DIN ISO 9654

## Benefits.

Precision side cutters for fine cutting work in electronics or precision mechanics.

Self-opening and easy to use thanks to built-in double spring for gentle and precise movements.

The frictionless, self-opening double leaf spring enables soft and precise movement of the jaws.

The sharp, hardened cutting edges deliver equally precise results with both hard and soft wire.

The fully inserted, play-free joint offers the highest precision with a consistently long service life.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### Efficient use in confined installation spaces.

The slim head of the electronics cutter enables efficient use in confined installation spaces. The smooth-running joint reduces the effort required. The handle covers with multi-component material improve slip resistance and the ergonomic thumb rest optimises the handling of the pliers.



PRODUCT IMAGE  
IN PROGRESS

### Precision and durability.

The cutter is specially designed for the finest precision work. Its rigid box joint and sharp cutting edges guarantee precise cuts with different wire thicknesses. At the same time, the high-quality materials of the electronics pliers offer remarkable durability and service life.




PRODUCT IMAGE  
IN PROGRESS

### Outstanding craftsmanship.

The tool is forged from high-quality steel which gives it outstanding stability and durability in continuous use.

## Technical drawing.



## Technical attributes.

Length mm (L)	115 mm
Width mm (b)	56 mm

## Logistics data.

Product no.	67076000
GTIN	4018754333196

<b>Soft wire (1)</b>	1,5 mm	<b>Weight (g)</b>	72 g
<b>Medium-hard wire (2)</b>	1 mm	<b>Volume (packaged, dm<sup>3</sup>)</b>	0.1728 dm <sup>3</sup>
<b>Hard wire (3)</b>	0,8 mm	<b>Packing standard</b>	1
<b>Piano wire (4)</b>	0,6 mm	<b>WEEE/ElektroG</b>	nicht ear-pflichtig
<b>Header</b>	polished	<b>Customs tariff no.</b>	82032000
<b>Handles</b>	2-component handles	<b>Country of origin AWR</b>	GERMANY
<b>Head width electronics mm (a)</b>	12 mm	<b>Region of origin</b>	Thüringen
<b>Head thickness-electronics-mm (d)</b>	8 mm	<b>Depth mm (IFS)</b>	120
<b>DIN</b>	DIN ISO 9654	<b>Width mm (IFS)</b>	80
<b>Head length-electronics-mm (b)</b>	14 mm	<b>Height mm (IFS)</b>	18
		<b>Weight (gross, kg)</b>	0,072
		<b>Weight PAP (kg)</b>	0,000
		<b>Weight PVC (kg)</b>	0,005
		<b>Length (packaged, mm)</b>	120
		<b>Width (packaged, mm)</b>	80
		<b>Height (packaging, mm)</b>	18

## GTIN.



## Images.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal