



TORX® sockets 1/2"

50TX

Product no. **03270010**
GTIN **4018754007257**
Model **50TX E10 TORX®**



Label. 1/2 " Socket L.38mm

- Properties.**
- for external TORX® screws
 - 1/2" internal square drive
 - HPQ® high performance steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size drive profile	E10
Square drive inner (inch)	1/2 "
Length mm (L)	38 mm
Drive profile	TORX®
d1	13 mm
d2	22 mm
d3	5,6 mm
Alloy	HPQ® high performance steel
t1	9,5 mm
t2	22 mm

Logistics data.

Product no.	03270010
GTIN	4018754007257
Weight (g)	55 g
Volume (packaged, dm3)	0.3485 dm3
Packing standard	10
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	38
Width mm (IFS)	22
Height mm (IFS)	22
Weight (gross, kg)	0,530
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
Length (packaged, mm)	100
Width (packaged, mm)	85
Height (packaging, mm)	41

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal