



IMPACT sockets 1"

60IMP

Product no. 26010033
GTIN 4018754016280
Model 60 IMP 33



Label. IMPACT socket 1 " 33mm L.63mm

- Properties.**
- with hex
 - 1" internal square drive
 - DIN 3129 / ISO 1711-2
 - Chrome Alloy Steel, gunmetal finish

Product highlights.



Optimised functionality.

All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.

High fitting accuracy.

The high fitting accuracy due to tight tolerances guarantees optimum, backlash-free transmission of forces to the socket.



PRODUCT IMAGE
IN PROGRESS

Technical drawing.



Technical attributes.

| | |
|---------------------------|-----------------------|
| Size [mm] | 33 mm |
| Square drive inner (inch) | 1 " |
| Length mm (L) | 63 mm |
| Drive profile | hex |
| d1 | 52,5 mm |
| d2 | 54 mm |
| DIN | DIN 3129 / ISO 1711-2 |
| t | 31,5 mm |

Logistics data.

| | |
|------------------------|---------------------|
| Product no. | 26010033 |
| GTIN | 4018754016280 |
| Weight (g) | 695 g |
| Volume (packaged, dm3) | 0.42504 dm3 |
| Packing standard | 2 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Depth mm (IFS) | 63 |
| Width mm (IFS) | 54 |
| Height mm (IFS) | 54 |
| Weight (gross, kg) | 1,384 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,007 |
| Length (packaged, mm) | 115 |
| Width (packaged, mm) | 66 |
| Height (packaging, mm) | 56 |

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal