

## QuickRelease fine-tooth ratchet 1/4"

### 415QRL N



|             |               |
|-------------|---------------|
| Product no. | 11111040      |
| GTIN        | 4018754283002 |
| Model       | 415QRL N      |



#### Label.

QR fine-tooth ratchet 1/4 RSW.4.5° L.153mm

#### Properties.

- long version
- 1/4" external square drive
- reversible
- 80 teeth
- for working in tight spaces, with a working angle of just 4.5°
- with QuickRelease safety lock
- with 2-component handle
- FOD-preventive due to screwless design
- DBGM (German Federal Utility Model)
- Chrome Alloy Steel, chrome-plated
- DIN 3122 / ISO 3315

#### Benefits.

Made in Germany - reversible STAHLWILLE ratchet with 2-component handle, 80 teeth, QR push button release, length 153 mm, DIN 3122/ISO 3315, Chrome Alloy Steel, chrome-plated, 11111040.

Unique QR locking system - secures every component from ratchet to extension to socket without wasting space.

80 teeth allow for a working angle of only 4.5° - facilitating efficient working even in confined spaces.

## Technologies and features.



### QuickRelease

The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.



### Foreign Object Damage

STAHLWILLE protects against FOD (Foreign Object Damage). Our tool is ideal for safety-relevant sectors such as aviation, thanks to the screwless design.



### Fine-tooth ratchet mechanism

Our fine-tooth ratchets with 80 teeth re-engage after just 4.5° for maximum precision in confined spaces. 8 pairs of parallel teeth simultaneously ensure maximum load-bearing capacity and particularly smooth running, even at high torques.

## Technical attributes.

|                              |                                     |
|------------------------------|-------------------------------------|
| External square drive (inch) | 1/4                                 |
| Length mm (L)                | 153 mm                              |
| Width mm (b)                 | 22,6 mm                             |
| a                            | 10,7 mm                             |
| Number of teeth              | 80                                  |
| Working angle                | 4.5 °                               |
| DIN                          | DIN 3122 / ISO 3315                 |
| Alloy                        | Chrome Alloy Steel,<br>chrom plated |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Product no.            | 11111040            |
| GTIN                   | 4018754283002       |
| Weight (g)             | 94 g                |
| Volume (packaged, dm3) | 0.462 dm3           |
| Packing standard       | 1                   |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Customs tariff no.     | 82042000            |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Depth mm (IFS)         | 153                 |
| Width mm (IFS)         | 23                  |
| Height mm (IFS)        | 22                  |
| Weight (gross, kg)     | 0,104               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,004               |
| Length (packaged, mm)  | 200                 |

Width (packaged, mm) 105

Height (packaging, mm) 22

## GTIN.



## Accessories (for).



11180010  
Bit holder




11030003  
Square drive adaptor

## Spare part(s), spare part(s) for.



19012020  
Ratchet spare parts set

## Images.





**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal